

PRODUCT-DETAILS

## A41 412-100

## Active Energy Class ±1% (or B for MID meters). Reactive Energy Class ±2%.;



General Information	
Extended Product Type	A41 412-100
Product ID	2CMA170505R1000
ABB Type Designation	A41 412-100
EAN	7392696705059
Catalog Description	Active Energy Class ±1% (or B for MID meters). Reactive Energy Class ±2%.;
Long Description	Advanced DIN-rail meter with a large and easy to read back lighted pixel-oriented display.  The meter is intended for use in the industry, commercial buildings etc. The meter can be used in 3 or 4 wire systems with a wide voltage range. The meter has several instrumentation values, 25 possible alarms and event logs. Single phase direct connected for active energy. One output for pulses or alarm etc. Accuracy class 1.0 (or B for MID meters). The meters is IEC approved + MID approved and verified.

Ordering	
E-Number (Finland)	6701008
E-Number (Sweden)	0980686
EAN	7392696705059
Minimum Order Quantity	1 piece
Customs Tariff Number	90283011

Product Net Width	70 mm
Product Net Height	26.5 mm
Product Net Depth / Length	65 mm
Product Net Weight	0.246 kg

Container Information	
Package Level 1 Units	box 1 piece
Package Level 1 Width	100 mm
Package Level 1 Height	68 mm
Package Level 1 Depth / Length	94 mm
Package Level 1 Gross Weight	0.318 kg
Package Level 1 EAN	7392696705059

Environmental	
Ambient Air Temperature	Operation -40 +70 °C
RoHS Status	Following EU Directive 2002/95/EC August 18, 2005 and amendment

Additional Information	
Accuracy	Active Energy Class ±1% (or B for MID meters). Reactive Energy Class ±2%.
Communication Interface	Modbus
Communication	MODBUS RTU
Connecting Capacity Main Circuit	1 25 mm²
Current Rating	80 A
Degree of Protection	IP20
Enclosure Material	Plastic
Frequency (f)	50 60 Hz
Function	Electricity meter
Meter Type	Direct connected
Mounting Type	DIN rail
Number of Phases	1
	0.807 W
Product Main Type	A41
Product Name	A41 412-100
Rated Current (I <sub>n</sub> )	80 A
Rated Voltage (U <sub>r</sub> )	(Un) N-L 57.7 288 V
RoHS Date	2011-44
Standards	EN 50470-1
Sub-Function	Gold

Data Sheet, Technical Information	2CMC484002M0201
Declaration of Conformity - CE	2CMC484003D0001
Environmental Information	2CMC484004D0001
Instructions and Manuals	2CMC484010M4901
RoHS Information	2CMC484006

Classifications	
ETIM 4	EC001506 - Electronic kilowatt-hour meter
ETIM 5	EC001506 - Kilowatt-hour meter
ETIM 6	EC001506 - Kilowatt-hour meter
ETIM 7	EC001506 - Kilowatt-hour meter
Object Classification Code	P
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

## Categories

 $Low\ Voltage\ Products\ and\ Systems\ \rightarrow\ Modular\ DIN\ Rail\ Products\ \rightarrow\ Energy\ Efficiency\ Devices\ \rightarrow\ Energy\ Meters$ 

