


PRODUCT-DETAILS

LID COMPL. 416MHS6

LID COMPL 416MHS6



General Information

Extended Product Type	LID COMPL. 416MHS6
Product ID	2CMA181730R1000
EAN	7392696817301
Catalog Description	LID COMPL 416MHS6
Long Description	LOCK KOMPL Switched Interlocked Socket Outlet, horizontal, earthing sleeve position 6h, rated current 16A, IP44 splashproof, 3-poles+neutral+earth, frequency 50-60 Hz, color code Red

Ordering

EAN	7392696817301
Country of Origin	Czech Republic (CZ)
Minimum Order Quantity	1 piece

Dimensions

Product Net Width	168 mm
Product Net Height	129 mm
Product Net Weight	0.5 kg

Container Information

Package Level 1 Width	170 mm
Package Level 1 Depth / Length	88 mm
Package Level 1 Height	131 mm
Package Level 1 Gross Weight	0.5 kg
Package Level 1 EAN	7392696817301
Package Level 1 Units	box 1 piece

Environmental

RoHS Status	Following EU Directive 2011/65/EU
-------------	-----------------------------------

Certificates and Declarations (Document Number)

Declaration of Conformity - CE	2CMC700005D0001
Environmental Information	2CMC000057M0000
RoHS Information	2CMC700005D0001
SEMKO Certificate	1515100
REACH Declaration	2CMC700005D0001

Additional Information

Additional Information	3P+N+E
Ambient Temperature	-25 ... 40 °C
Color	Red
Connection Type	Screw Clamp
Degree of Protection	IP44
Frequency (f)	50 Hz 60 Hz
Function	Spare Parts
Housing Material	Thermoplastic (PBT)
Invoice Description	LID COMPL 416MHS6
Mounting Type	Horizontal
Number of Poles	5
Order Multiple	1 piece
Product Main Type	CMHS Lid
Product Name	Spare part
Rated Current (I_n)	16 A
Rated Voltage (U_r)	200/346 ... 240/415 V
Standards	0
Suitable For	Spare Parts
Suitable for Product Class	IEC Industrial Plugs and Sockets
Instructions and Manuals	2CMC000032M0001
Installation Manual	2CMC000032M0001
RAL Number	RAL 7001 - Silver Grey

Classifications

eClass	27149226
UNSPSC	39120000

Categories

Low Voltage Products and Systems → Industrial Plugs and Sockets → Service → Spares and Consumables

