

PRODUCT-DETAILS

FMCE69

Fixing-Rail L=270 mm + screws + 5x35 mm² terminal block



General Information

Extended Product Type	FMCE69
Product ID	2CMA191107R1000
EAN	7392696911078
Catalog Description	Fixing-Rail L=270 mm + screws + 5x35 mm ² terminal block
Long Description	Terminals, 3 Grey, 1 blue, 1 Green/Yellow and mounting plate for DIN-rail to be used in Modular Combi

Ordering

E-Number (Sweden)	99090069
EAN	7392696911078
Country of Origin	Czech Republic (CZ)
Minimum Order Quantity	1 piece

Dimensions

Product Net Width	150 mm
Product Net Height	60 mm
Product Net Weight	0.3 kg

Container Information

Package Level 1 Width	242 mm
Package Level 1 Depth / Length	242 mm
Package Level 1 Height	62 mm
Package Level 1 Gross Weight	0.3 kg
Package Level 1 EAN	7392696911078
Package Level 1 Units	box 1 piece

Environmental

RoHS Status	No declaration needed
-------------	-----------------------

Certificates and Declarations (Document Number)

Declaration of Conformity - CE	2CMC700005D0004
Environmental Information	2CMC000057M0000
RoHS Information	2CMC700057D0001
REACH Declaration	2CMC700005D0004

Additional Information

Ambient Temperature	-25 ... 40 °C
Color	Grey
Connection Type	Screw Clamp
Degree of Protection	IP44
Frequency (f)	50 Hz 60 Hz
Function	Modular Combi DIY
Housing Material	Thermoplastic (PBT)
Invoice Description	Ind. P&S#FMCE69
Number of Poles	5
Order Multiple	1 piece
Product Main Type	FMCE
Product Name	Industrial Plugs and Sockets Accessorie
Protection Type	Splashproof
Rated Current (I_n)	16 A
Rated Voltage (U_r)	346 ... 415 V
Standards	IEC 60309-2
Suitable For	FMCE69
Suitable for Product Class	IEC Industrial Plugs and Sockets
Instructions and Manuals	2CMC700005D0034 2CMC000078M0001
Installation Manual	2CMC700005D0034
RAL Number	RAL 7001 - Silver Grey

Classifications	
eClass	27149226
UNSPSC	39120000

Categories
Low Voltage Products and Systems → Industrial Plugs and Sockets → Modular Combination Boxes
Low Voltage Products and Systems → Industrial Plugs and Sockets → Modular Combination Boxes Accessories

