

## PRODUCT-DETAILS

# TL304G

## TL304G TL wall moun. PCI IP55



### General Information

|                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|-----------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Extended Product Type | TL304G                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| Product ID            | 2CPX010072R9999                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| EAN                   | 4011617100720                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| Catalog Description   | TL304G TL wall moun. PCI IP55                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| Long Description      | <p>Wall-mounting cabinet, series TwinLine, empty cabinet, for the internal use, with Door, class of protection I (earthed), degree of protection IP55, applicable standards: EN 61439-1, EN 61439-2, EN 61439-3, IK code 08, powder-coated, in RAL 7035, enclosure out of sheet steel, single-leaf door, door out of sheet steel, with Standard locking mechanism double bit, door opening angle 180 degree, door hinge right or left, rear wall out of sheet steel, cable entry on top via flange opening pre-cut, on bottom via flange opening pre-punched, on side via flange opening pre-punched, dimensions in mm (H x W x D): 650 x 800 x 275, Grid unit 4 GU, Overall height 0, panel width 3, Space units 144, pre-assembled for installation of metering-, modules, Combi-Sets, CombiLine-Module, mounting plates on EDF-/WR-mounting frame</p> |

### Ordering

|                        |               |
|------------------------|---------------|
| EAN                    | 4011617100720 |
| Minimum Order Quantity | 1 piece       |
| Customs Tariff Number  | 85381000      |

### Dimensions

|                    |        |
|--------------------|--------|
| Product Net Width  | 800 mm |
| Product Net Height | 650 mm |

|                            |           |
|----------------------------|-----------|
| Product Net Depth / Length | 275 mm    |
| Product Net Weight         | 22.283 kg |

### Container Information

|                                |                       |
|--------------------------------|-----------------------|
| Package Level 1 Units          | pack 1 piece          |
| Package Level 1 Width          | 860.000 mm            |
| Package Level 1 Height         | 660.000 mm            |
| Package Level 1 Depth / Length | 325.000 mm            |
| Package Level 1 Gross Weight   | 23.188 kg             |
| Package Level 1 EAN            | 4011617100720         |
| Package Level 2 Units          | pallet (lift) 3 piece |
| Package Level 2 Width          | 840.000 mm            |
| Package Level 2 Height         | 834.000 mm            |
| Package Level 2 Depth / Length | 1200.000 mm           |
| Package Level 2 Gross Weight   | 86.888 kg             |

### Additional Information

|                          |                                                                                                                   |
|--------------------------|-------------------------------------------------------------------------------------------------------------------|
| Color                    | light grey                                                                                                        |
| Configuration Type       | pre-assembled for installation of metering-, modules, CombiLine-Module, mounting plates on EDF-/WR-mounting frame |
| Cover Plate Type         | None                                                                                                              |
| Degree of Protection     | IP55                                                                                                              |
| DIN Place Units          | 144                                                                                                               |
| Enclosure Type           | Wall-mounting cabinet                                                                                             |
| Enclosure Type of Height | 0                                                                                                                 |
| Field Width              | 3                                                                                                                 |
| Housing Material         | Steel plate/plastic                                                                                               |
| Interior Depth           | 222.5 mm                                                                                                          |
| Mounting Type            | Surface-mounted                                                                                                   |
| Number of Rows           | 4                                                                                                                 |
| Power Loss               | $\Delta t = 20K$ 67.1 W<br>$\Delta t = 25K$ 88.6 W<br>$\Delta t = 30K$ 111.2 W                                    |
| Product Main Type        | TL                                                                                                                |
| Product Name             | TL304G TL wall moun. PCI IP55                                                                                     |
| Protection Class         | Grounded                                                                                                          |
| Standards                | DIN EN 61439-3<br>DIN EN 61439-2                                                                                  |
| Surface Finishing        | Powder coating                                                                                                    |

### Certificates and Declarations (Document Number)

|                                   |                                    |
|-----------------------------------|------------------------------------|
| Data Sheet, Technical Information | 2CPC000001C0101<br>2CPC000002C0101 |
| Declaration of Conformity - CE    | No declaration needed              |
| Environmental Information         | 2CPC100001X0201                    |
| Instructions and Manuals          | 2CPC119660M5601<br>2CPC016708M5601 |

| Classifications            |                           |
|----------------------------|---------------------------|
| ETIM 4                     | EC000058 - Empty cabinet  |
| ETIM 5                     | EC000058 - Empty cabinet  |
| ETIM 6                     | EC000058 - Empty cabinet  |
| ETIM 7                     | EC000058 - Empty cabinet  |
| Object Classification Code | U                         |
| WEEE Category              | Product Not in WEEE Scope |

| Categories                                                                                                                 |
|----------------------------------------------------------------------------------------------------------------------------|
| Low Voltage Products and Systems → Enclosures → Sub Distribution Boards → Sub Distribution Boards → TwinLine N 55 - Welded |

