

**PRODUCT-DETAILS** 

## BL520K BL520K Trim Frame With Door transp.



General	Information	

O-t-lan Dintian	DI FOOK Tries France With Dean transport
EAN	4011617308362
Product ID	2CPX030836R9999
Extended Product Type	BL520K

Catalog Description

BL520K Trim Frame With Door transp.

Long Description

Panel frame and "vision line" transparent door, suitable for UK52 circuit distributor, the tip-in door latch impresses with its modern design and simple operation, a safety lock is available as an accessory for more security, light panel frame dimensions H x B x T in mm: 407 x 297 x 33, panel frame outer dimensions H x W x D in mm: 477 x 367 x 9. The transparent doors for the circuit distributor offer the best look into the inside of UK500. The high-qualist cable exit points are made out of impact-resistant, high-gloss polished blue-gray plastic that is tested with glow wire at temperatures up to 850 °C. The self-extinguishing polycarbonate material has a very high level of impact resistance (IK 08), and due to its color fastness, it offers an optimal view on such components as indicator lights. Optical control of the status of individual devices is possible without opening the door.

Ordering	
E-Number (Norway)	1700123
E-Number (Sweden)	2170236
EAN	4011617308362
Minimum Order Quantity	1 piece
Customs Tariff Number	85389099

Dimensions	
Product Net Width	367 mm
Product Net Height	477 mm
Product Net Depth / Length	9 mm
Product Net Weight	0.946 kg

Container Information	
Package Level 1 Units	pack 1 piece
Package Level 1 Width	370.000 mm
Package Level 1 Height	490.000 mm
Package Level 1 Depth / Length	40.000 mm
Package Level 1 Gross Weight	0.98 kg
Package Level 1 EAN	4011617308362
Package Level 2 Units	pallet (lift) 50 piece
Package Level 2 Width	800.000 mm
Package Level 2 Height	900.000 mm
Package Level 2 Depth / Length	1200.000 mm
Package Level 2 Gross Weight	69 kg

Additional Information	
Color	White
Degree of Protection	IP30
DIN Place Units	24
Enclosure Type	BL
Field Width	1
Meter Boards	0
Product Main Type	BL
Product Name	BL520K Trim Frame With Door transp.
Suitable For	UK520BS
Surface Finishing	Powder coating

Certificates and Declarations (Document Number)	
Data Sheet, Technical Information	2CPC000001C0101 2CPC000002C0101 2CPC000031C0101 2CPC000188C0101
Declaration of Conformity - CE	No declaration needed
Environmental Information	2CPC100001X0201
Instructions and Manuals	2CPC110150M5601

BL520K

Classifications	
ETIM 4	EC000747 - Door/operating panel (switchgear cabinet)
ETIM 5	EC000747 - Door/operating panel (switchgear cabinet)
ETIM 6	EC000747 - Door/operating panel (switchgear cabinet)
ETIM 7	EC000747 - Door/operating panel (switchgear cabinet)
Object Classification Code	U
WEEE Category	Product Not in WEEE Scope

## Categories

Low Voltage Products and Systems  $\rightarrow$  Enclosures  $\rightarrow$  Consumer Units  $\rightarrow$  Consumer Units

