


PRODUCT-DETAILS

2V002A

2V002A Distribution Board 2-Fel



General Information

Extended Product Type	2V002A
Product ID	2CPX037609R9999
EAN	4011617376095
Catalog Description	2V002A Distribution Board 2-Fel
Long Description	Interior fitting system, Distribution panels, mounted on EDF-Profile, for Busbar und terminals, Grid unit 3 GU = 450 mm, panel width 2 = 500 mm, 72 Space units, with busbar system 5-pole, Busbar alignment: horizontal, with busbar holders ZB5, Busbar center distance: 40 mm, with 5 Cu busbars, rated current maximum 360 A, covers out of Plastic, 90 degree press and turn closure, RAL 7035, Design of the cover: Closed, usable as of the cabinet depth of 120 mm, distribution panels or combinations must have the same grid units as the cabinets, in which they are installed. For floor standing and switch gear cabinets, two panels or combinations must be installed next to each other. The EDF profile rails are included in the scope of delivery.

Ordering

EAN	4011617376095
Minimum Order Quantity	1 piece
Customs Tariff Number	85381000

Dimensions

Product Net Width	500 mm
Product Net Height	450 mm
Product Net Depth /	120 mm

Length

Product Net Weight	4.2 kg
--------------------	--------

Container Information

Package Level 1 Units	pack 1 piece
Package Level 1 Width	505.000 mm
Package Level 1 Height	140.000 mm
Package Level 1 Depth / Length	525.000 mm
Package Level 1 Gross Weight	4.368 kg
Package Level 1 EAN	4011617376095
Package Level 2 Units	pallet (lift) 40 piece
Package Level 2 Width	800.000 mm
Package Level 2 Height	1800.000 mm
Package Level 2 Depth / Length	1200.000 mm
Package Level 2 Gross Weight	194.7 kg

Additional Information

Cover Plate Type	Closed
Design	EDF distribution panel
DIN Place Units	72
Enclosure Type	Interior fitting system
Enclosure Type of Height	00
Field Width	2
Interior Depth	160 mm
Meter Boards	0
Module Function	Busbar und terminals
Number of Poles	5
Number of Rows	0
Operational Voltage	400 V
Product Main Type	2
Product Name	2V002A Distribution Board 2-Fel
Rated Current (I_n)	360 A
Rated Operational Voltage	Maximum 400 V

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	2CPC000001C0101 2CPC000002C0101 2CPC000031C0101 2CPC000187C0101 2CPC000188C0101
Declaration of Conformity - CE	No declaration needed
Environmental Information	2CPC100001X0201
Instructions and Manuals	2CPC000186C0201

Classifications

ETIM 4	EC000264 - Panel for distribution board
ETIM 5	EC000264 - Panel for distribution board
ETIM 6	EC000264 - Panel for distribution board
ETIM 7	EC000264 - Panel for distribution board
Object Classification Code	U
WEEE Category	4. Large Equipment (Any External Dimension More Than 50 cm)

Categories

Low Voltage Products and Systems → Enclosures → Sub Distribution Boards → Sub Distribution Boards

