


PRODUCT-DETAILS

2V3KA

2V3KA Distribution Board 2PW



General Information

Extended Product Type	2V3KA
Product ID	2CPX037642R9999
EAN	4011617376422
Catalog Description	2V3KA Distribution Board 2PW
Long Description	Interior fitting system, Distribution panels, mounted on EDF-Profile, for DIN rail devices and DIN rail terminals, Grid unit 7 GU = 1050 mm, panel width 2 = 500 mm, 168 Space units, Row distance in mm: 125, assembled with DIN rail 35 x 15 mm with perforation for wire holders, covers out of Plastic, 90 degree press and turn closure, RAL 7035, Design of the cover: with cut-out, usable as of the cabinet depth of 120 mm, distribution panels or combinations must have the same grid units as the cabinets, in which they are installed. For floor standing and switch gear cabinets, two panels or combinations must be installed next to each other. The EDF profile rails are included in the scope of delivery.

Ordering

EAN	4011617376422
Minimum Order Quantity	1 piece
Customs Tariff Number	85381000

Dimensions

Product Net Width	500 mm
Product Net Height	1050 mm
Product Net Depth /	120 mm

Length

Product Net Weight	6.512 kg
--------------------	----------

Container Information

Package Level 1 Units	pack 1 piece
Package Level 1 Width	505.000 mm
Package Level 1 Height	55.000 mm
Package Level 1 Depth / Length	1050.000 mm
Package Level 1 Gross Weight	6.77 kg
Package Level 1 EAN	4011617376422
Package Level 2 Units	pallet (lift) 36 piece
Package Level 2 Width	800.000 mm
Package Level 2 Height	1765.000 mm
Package Level 2 Depth / Length	1200.000 mm
Package Level 2 Gross Weight	280.5 kg

Additional Information

Cover Plate Type	With notch
Design	EDF distribution panel
DIN Place Units	168
Enclosure Type	Interior fitting system
Enclosure Type of Height	3
Field Width	2
Interior Depth	160 mm
Meter Boards	0
Module Function	DIN rail devices and DIN rail terminals
Number of Rows	4
Operational Voltage	400 V
Product Main Type	2
Product Name	2V3KA Distribution Board 2PW
Rated Current (I_n)	400 A
Rated Operational Voltage	Maximum 400 V
Spacing	125 mm
Standards	DIN 43880
Terminal Type	Quick-Terminal

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	2CPC000001C0101 2CPC000002C0101
Declaration of Conformity - CE	No declaration needed
Environmental Information	2CPC100001X0201
Instructions and Manuals	2CPC000186C0201

Classifications

ETIM 4	EC000264 - Panel for distribution board
--------	---

ETIM 5	EC000264 - Panel for distribution board
ETIM 6	EC000264 - Panel for distribution board
ETIM 7	EC000264 - Panel for distribution board
Object Classification Code	U
WEEE Category	Product Not in WEEE Scope

Categories

Low Voltage Products and Systems → Enclosures → Sub Distribution Boards → Sub Distribution Boards

