


**PRODUCT-DETAILS** 

# **2M4A**

# 2M4A Distribution Board 2PW



C I	Information
-enerai	Intormation

Extended Product Type	2M4A
Product ID	2CPX037656R9999
EAN	4011617376569
Catalog Description	2M44 Distribution Board 2DW

Long Description

Interior fitting system, Distribution panels, mounted on EDF-Profile, for Mounting plate, Grid unit 8 GU = 1200 mm, panel width 2 = 500 mm, 192 Space units, mounting plates of sheet steel 2 mm, Stepless adjustable via mounting bracket, usuable depth of 143 mmcovers out of Plastic, 90 degree press and turn closure, RAL 7035, Design of the cover: Closed, usuable as of the cabinet depth of 120 mm, distribution panels or combinations must have the same grid units as the cabinets, in which they are installed. For floor standing and switch gear cabinets, two panels or combinations must be installed next to each other. The EDF profile rails are included in the scope of

## **Ordering**

EAN	4011617376569
Minimum Order Quantity	1 piece
Customs Tariff Number	85381000

#### **Dimensions**

Product Net Width	500 mm
Product Net Height	1200 mm
Product Net Depth /	120 mm

#### Length

Product Net Weight	13.315 kg
--------------------	-----------

Container Information	
Package Level 1 Units	pack 1 piece
Package Level 1 Width	505.000 mm
Package Level 1 Height	140.000 mm
Package Level 1 Depth / Length	1210.000 mm
Package Level 1 Gross Weight	13.85 kg
Package Level 1 EAN	4011617376569
Package Level 2 Units	pallet (lift) 10 piece
Package Level 2 Width	800.000 mm
Package Level 2 Height	1600.000 mm
Package Level 2 Depth / Length	1200.000 mm
Package Level 2 Gross Weight	158.5 kg

## **Additional Information**

Cover Plate Type	Closed
Design	EDF distribution panel
DIN Place Units	192
Enclosure Type	Interior fitting system
Enclosure Type of Height	4
Field Width	2
Interior Depth	160 mm
Meter Boards	0
Module Function	Mounting plate
Mounting Type	Stepless adjustable via mounting bracket
Number of Rows	0
Operational Voltage	400 V
Product Main Type	2
Product Name	2M4A Distribution Board 2PW
Rated Current (I <sub>n</sub> )	400 A
Rated Operational Voltage	Maximum 400 V

# Certificates and Declarations (Document Number)

Data Sheet, Technical Information	2CPC000001C0101 2CPC000002C0101
Declaration of Conformity - CE	No declaration needed
Environmental Information	2CPC100001X0201
Instructions and Manuals	2CPC000186C0201

## Classifications

ETIM 4	EC000264 - Panel for distribution board
ETIM 5	EC000264 - Panel for distribution board
ETIM 6	EC000264 - Panel for distribution board

ETIM 7	EC000264 - Panel for distribution board
Object Classification Code	U
WEEE Category	Product Not in WEEE Scope

# Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Enclosures \rightarrow Sub\ Distribution\ Boards \rightarrow Sub\ Distribution\ Boards$ 

