

PRODUCT-DETAILS

ZXM2066

ZXM2066 Copper Bar 20x5mm, L:704mm



General Information

Extended Product Type	ZXM2066
Product ID	2CPX042475R9999
EAN	4011617424758
Catalog Description	ZXM2066 Copper Bar 20x5mm, L:704mm
Long Description	copper busbar, CombiLine, mounted in cabinet, panel width 3 = 704 mm, rated current maximum 320 A

Ordering

EAN	4011617424758
Minimum Order Quantity	1 piece
Customs Tariff Number	85369001

Dimensions

Product Net Width	704 mm
Product Net Height	20 mm
Product Net Length	704 mm
Product Net Depth / Length	5 mm
Product Net Weight	0.627 kg

Container Information

Package Level 1 Units	pack 1 piece
Package Level 1 Width	20.000 mm
Package Level 1 Height	5.000 mm
Package Level 1 Depth / Length	704.000 mm
Package Level 1 Gross Weight	0.627 kg
Package Level 1 EAN	4011617424758
Package Level 2 Units	12 piece
Package Level 2 Width	830 mm
Package Level 2 Height	1710 mm
Package Level 2 Depth / Length	1210 mm

Additional Information

DIN Place Units	0
Enclosure Type	copper busbar
Field Width	3
Meter Boards	0
Number of Poles	1
Product Main Type	ZXM
Product Name	ZXM2066 Copper Bar 20x5mm, L:704mm
Rated Current (I _N)	320 A
Standards	DIN 43673-1
Suitable For	MN169 MN269 MN369
Surface Finishing	Untreated

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	2CPC000001C0101 2CPC000002C0101
Declaration of Conformity - CE	No declaration needed
Environmental Information	2CPC100001X0201
Instructions and Manuals	2CPC000186C0201

Classifications

ETIM 4	EC001900 - Busbar system for distribution boards
ETIM 5	EC001900 - Busbar system for distribution boards
ETIM 6	EC001522 - Busbar
ETIM 7	EC001522 - Busbar
Object Classification Code	U
WEEE Category	4. Large Equipment (Any External Dimension More Than 50 cm)

Categories

Low Voltage Products and Systems → Enclosures → Sub Distribution Boards → Sub Distribution Boards

