

PRODUCT-DETAILS

3/3VF10

3/3VF10 Fire prot. 1-leaf door 30min



General Information

Extended Product Type	3/3VF10
Product ID	2CPX043398R9999
EAN	4011617433989
Catalog Description	3/3VF10 Fire prot. 1-leaf door 30min
Long Description	Fire protection door, series VF, for the internal use, with closed doorframe and door, degree of protection IP54, fire resistance 30 min tested according to , Reduce fire load 30 min in line with , Maintain functionality 30 min in line with , surface-coated, in RAL 7035, enclosure out of non flammable material, single-leaf door, door out of non flammable material, with Swivel handle with half cylinder, door opening angle 150 degree, door hinge right, dimensions in mm (H x W x D): 1345 x 1045 x 51, Shutter frame dimensions in mm (H x W x D): 1345 x 1045 x 22, Grid unit 7 GU, Overall height 3, panel width 3, Space units 252

Ordering

EAN	4011617433989
Minimum Order Quantity	1 piece
Customs Tariff Number	85389099

Dimensions

Product Net Width	1045 mm
Product Net Height	1345 mm
Product Net Depth / Length	51 mm

Product Net Weight	71 kg
--------------------	-------

Container Information

Package Level 1 Units	pack 1 piece
Package Level 1 Width	1045.000 mm
Package Level 1 Height	51.000 mm
Package Level 1 Depth / Length	1345.000 mm
Package Level 1 Gross Weight	71 kg
Package Level 1 EAN	4011617433989

Additional Information

Color	light grey
Degree of Protection	IP54
DIN Place Units	252
Enclosure Type	Fire protection door
Enclosure Type of Height	3
Field Width	3
Material	Other
Product Main Type	VF
Product Name	3/3VF10 Fire prot. 1-leaf door 30min

Certificates and Declarations (Document Number)

Declaration of Conformity - CE	No declaration needed
--------------------------------	-----------------------

Classifications

ETIM 6	EC000747 - Door/operating panel (switchgear cabinet)
ETIM 7	EC000747 - Door/operating panel (switchgear cabinet)
Object Classification Code	U
WEEE Category	Product Not in WEEE Scope

Categories

Low Voltage Products and Systems → Enclosures → Sub Distribution Boards → Fire Resistant Enclosures

