

PRODUCT-DETAILS

2/3VF11

2/3VF11 Fire prot. 1-leaf door 90min



General Information

Extended Product Type	2/3VF11
Product ID	2CPX043403R9999
EAN	4011617434030
Catalog Description	2/3VF11 Fire prot. 1-leaf door 90min
Long Description	Fire protection door, series VF, for the internal use, with closed doorframe and door, degree of protection IP54, fire resistance 90 min tested according to , Reduce fire load 90 min in line with , Maintain functionality 90 min in line with , surface-coated, in RAL 7035, enclosure out of non flammable material, single-leaf door, door out of non flammable material, with Swivel handle with half cylinder, door opening angle 150 degree, door hinge right, dimensions in mm (H x W x D): 1345 x 795 x 71, Shutter frame dimensions in mm (H x W x D): 1345 x 795 x 22, Grid unit 7 GU, Overall height 3, panel width 2, Space units 168

Ordering

EAN	4011617434030
Minimum Order Quantity	1 piece
Customs Tariff Number	85389099

Dimensions

Product Net Width	795 mm
Product Net Height	1345 mm
Product Net Depth / Length	71 mm

Product Net Weight	90 kg
--------------------	-------

Container Information

Package Level 1 Units	pack 1 piece
Package Level 1 Width	795.000 mm
Package Level 1 Height	71.000 mm
Package Level 1 Depth / Length	1345.000 mm
Package Level 1 Gross Weight	90 kg
Package Level 1 EAN	4011617434030

Additional Information

Color	light grey
Degree of Protection	IP54
DIN Place Units	168
Enclosure Type	Fire protection door
Enclosure Type of Height	3
Field Width	2
Material	Other
Product Main Type	VF
Product Name	2/3VF11 Fire prot. 1-leaf door 90min

Certificates and Declarations (Document Number)

Declaration of Conformity - CE	No declaration needed
--------------------------------	-----------------------

Classifications

ETIM 6	EC000747 - Door/operating panel (switchgear cabinet)
ETIM 7	EC000747 - Door/operating panel (switchgear cabinet)
Object Classification Code	U
WEEE Category	Product Not in WEEE Scope

Categories

Low Voltage Products and Systems → Enclosures → Sub Distribution Boards → Fire Resistant Enclosures

