

PRODUCT-DETAILS

RD44F1

RD44F1 Roof plate w.flange openings



General Information

Extended Product Type	RD44F1
Product ID	2CPX045739R9999
EAN	4011617457398
Catalog Description	RD44F1 Roof plate w.flange openings
Long Description	RD44F1 Roof plate w.flange openings

Ordering

EAN	4011617457398
Minimum Order Quantity	1 piece
Customs Tariff Number	85389099

Dimensions

Product Net Width	1109 mm
Product Net Height	12 mm
Product Net Depth / Length	425 mm
Product Net Weight	6.845 kg

Container Information

Package Level 1 Units	1 piece
-----------------------	---------

Package Level 1 Width	425.000 mm
Package Level 1 Height	1110.000 mm
Package Level 1 Depth / Length	16.000 mm
Package Level 1 Gross Weight	7.119 kg
Package Level 2 Units	12 piece
Package Level 2 Width	830 mm
Package Level 2 Height	1710 mm
Package Level 2 Depth / Length	1210 mm

Additional Information

Color	7035
DIN Place Units	0
Enclosure Type	RD
Field Width	4
Interior Depth	400 mm
Meter Boards	0
Product Main Type	RD
Product Name	RD44F1 Roof plate w.flange openings
Remarks	ETIM
Sub-Function	with cable entry
Suitable For	4/10RG4 4/8RG4

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	2CPC000001C0101;2CPC000001C0101;2CPC000186C0201;2CPC000186C0201
Declaration of Conformity - CE	No declaration needed
Environmental Information	2CPC100001X0201
Instructions and Manuals	2CPC000186C0201

Classifications

ETIM 4	EC002620 - Component for installation (switchgear cabinet)
ETIM 5	EC000211 - Gland plate for small distribution boards/switchgear cabinets
ETIM 6	EC000744 - Top-/floor cover element (enclosure/switchgear cabinet)
ETIM 7	EC000744 - Top-/floor cover element (enclosure/switchgear cabinet)
Object Classification Code	U
WEEE Category	Product Not in WEEE Scope

Categories

Low Voltage Products and Systems → Enclosures → Accessories

Low Voltage Products and Systems → Enclosures → Main Distribution Boards (System pro E power) → Modular Boards - TriLine

Low Voltage Products and Systems → Enclosures → Main Distribution Boards (System pro E power) → R

