


PRODUCT-DETAILS

A23

A23 Wall Cabinet 2PW3R PC2 IP44



General Information

Extended Product Type	A23
Product ID	2CPX052011R9999
EAN	4011617520115
Catalog Description	A23 Wall Cabinet 2PW3R PC2 IP44
Long Description	Wall-mounting cabinet, empty cabinet, for the internal use, with Door, class of protection II (double insulated), degree of protection IP44, rated current 250 A, powder-coated, in RAL 9016, enclosure out of sheet steel, metal door, door out of sheet steel, door opening angle 120 degree, cable entry on top via membrane flange mounted, on side via flange opening pre-punched, dimensions in mm (H x W x D): 500 x 550 x 215, Grid unit 3 GU, panel width 2, Space units 72, pre-assembled for installation of metering-, modules, Combi-Sets, CombiLine-Module on EDF-mounting frame

Ordering

EAN	4011617520115
Minimum Order Quantity	1 piece
Customs Tariff Number	85381000

Dimensions

Product Net Width	550 mm
Product Net Height	500 mm

Product Net Depth / Length	215 mm
Product Net Weight	9.888 kg

Container Information

Package Level 1 Units	pack 1 piece
Package Level 1 Width	570.000 mm
Package Level 1 Height	520.000 mm
Package Level 1 Depth / Length	233.000 mm
Package Level 1 Gross Weight	10.284 kg
Package Level 1 EAN	4011617520115
Package Level 2 Units	pallet (lift) 21 piece
Package Level 2 Width	800.000 mm
Package Level 2 Height	1750.000 mm
Package Level 2 Depth / Length	1200.000 mm
Package Level 2 Gross Weight	227.648 kg

Additional Information

Color	traffic white
Configuration Type	pre-assembled for installation of metering-, modules, Combi-Sets, CombiLine-Module on EDF-mounting frame
Cover Plate Type	Door
Degree of Protection	IP44
DIN Place Units	72
Enclosure Type	Wall-mounting cabinet
Field Width	2
Housing Material	Steel plate/plastic
Interior Depth	190 mm
Mounting Type	Surface mounted/recessed mounted/partially recessed mounted
Number of Rows	3
Power Loss	$\Delta t = 20K$ 47.2 W $\Delta t = 25K$ 62.3 W $\Delta t = 30K$ 78.1 W
Product Main Type	ComfortLine A
Product Name	A23 Wall Cabinet 2PW3R PC2 IP44
Protection Class	Isolated
Rated Current (I_n)	250 A
Surface Finishing	Powder coating

Certificates and Declarations (Document Number)

Declaration of Conformity - CE	9AKK107680A4773
Instructions and Manuals	2CPC133150M5601

Classifications	
ETIM 6	EC000058 - Empty cabinet
ETIM 7	EC000058 - Empty cabinet
Object Classification Code	U
WEEE Category	Product Not in WEEE Scope

Categories
Low Voltage Products and Systems → Enclosures → Sub Distribution Boards → Meter Boards → ComfortLine A
Low Voltage Products and Systems → Enclosures → Sub Distribution Boards → Sub Distribution Boards → ComfortLine A

