


PRODUCT-DETAILS

A57

A57 Wall Cabinet 5PW7R PC2 IP44



General Information

Extended Product Type	A57
Product ID	2CPX052034R9999
EAN	4011617520344
Catalog Description	A57 Wall Cabinet 5PW7R PC2 IP44
Long Description	Meter board, empty cabinet, for the internal use, with Door, class of protection II (double insulated), degree of protection IP44, rated current 250 A, powder-coated, in RAL 9016, enclosure out of sheet steel, metal door , door out of sheet steel, door opening angle 120 degree, cable entry on top via membrane flange mounted, on side via flange opening pre-punched, dimensions in mm (H x W x D): 1100 x 1300 x 215, Grid unit 7 GU, panel width 5, Space units 420, pre-assembled for installation of metering-, modules, Combi-Sets, CombiLine-Module on EDF-mounting frame

Ordering

EAN	4011617520344
Minimum Order Quantity	1 piece
Customs Tariff Number	85381000

Dimensions

Product Net Width	1300 mm
Product Net Height	1100 mm

Product Net Depth / Length	215 mm
Product Net Weight	34.85 kg

Container Information

Package Level 1 Units	pack 1 piece
Package Level 1 Width	1350.000 mm
Package Level 1 Height	1160.000 mm
Package Level 1 Depth / Length	233.000 mm
Package Level 1 Gross Weight	36.244 kg
Package Level 1 EAN	4011617520344
Package Level 2 Units	pallet (lift) 7 piece
Package Level 2 Width	1360.000 mm
Package Level 2 Height	1820.000 mm
Package Level 2 Depth / Length	1200.000 mm
Package Level 2 Gross Weight	263.95 kg

Additional Information

Color	traffic white
Configuration Type	pre-assembled for installation of metering-, modules, Combi-Sets, CombiLine-Module on EDF-mounting frame
Cover Plate Type	Door
Degree of Protection	IP44
DIN Place Units	420
Enclosure Type	Meter board
Field Width	5
Housing Material	Steel plate/plastic
Interior Depth	190.1 mm
Mounting Type	Surface mounted/recessed mounted/partially recessed mounted
Number of Rows	7
Power Loss	$\Delta t = 20K$ 170.3 W $\Delta t = 25K$ 224.7 W $\Delta t = 30K$ 265.3 W
Product Main Type	ComfortLine A
Product Name	A57 Wall Cabinet 5PW7R PC2 IP44
Protection Class	Isolated
Rated Current (I_n)	250 A
Surface Finishing	powder-coated

Certificates and Declarations (Document Number)

Declaration of Conformity - CE	9AKK107680A4773
Instructions and Manuals	2CPC133150M5601

Classifications	
ETIM 6	EC000248 - Unequipped meter cabinet
ETIM 7	EC000248 - Unequipped meter cabinet
Object Classification Code	U
WEEE Category	Product Not in WEEE Scope

Categories
Low Voltage Products and Systems → Enclosures → Sub Distribution Boards → Meter Boards → ComfortLine A
Low Voltage Products and Systems → Enclosures → Sub Distribution Boards → Sub Distribution Boards → ComfortLine A

