

PRODUCT-DETAILS

TS 8/12SW

TS 8/12SW Non-inherently short-circuit proof bell transformer



General Information

Extended Product Type	TS 8/12SW
Product ID	2CSM081402R0811
EAN	8012542368403
Catalog Description	TS 8/12SW Non-inherently short-circuit proof bell transformer
Long Description	These transformers, with safety extremely-low voltage secondary (SELV), are suitable for driving loads that call for a discontinuous supply. Switch 0-1.

Ordering

EAN	8012542368403
Minimum Order Quantity	1 piece
Customs Tariff Number	85043121

Dimensions

Product Net Width	35 mm
Product Net Height	0.085 m
Product Net Length	65 mm
Product Net Depth / Length	0.065 m
Product Net Weight	0.350 kg

Container Information

Package Level 1 Units	1 piece
Package Level 1 Width	0.095 m
Package Level 1 Height	0.077 m
Package Level 1 Depth / Length	0.216 m
Package Level 1 Gross Weight	1.7 kg
Package Level 1 EAN	8012542368403

Environmental

RoHS Status	Following EU Directive 2002/95/EC August 18, 2005 and amendment
-------------	---

Additional Information

Options Provided	With switch
Output Current Maximum (I_{out})	0.66 A
Power Loss	2.5 W
Power Supply	8 V-A
Primary Voltage	230 V
Product Main Type	TS
Product Name	Non-inherently short-circuit proof bell transformer
Rated Operational Voltage	230 V AC
RoHS Date	25/06/2009 0.00.00
Secondary Current	Amperage 1 0.66 A
Secondary Voltage	1 12 V

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	2CSC400002D0209
Declaration of Conformity - CE	2CSC446002D2701
Environmental Information	See RoHS Information
Instructions and Manuals	on the product body
RoHS Information	2CSC446004K0201

Classifications

ETIM 4	EC001547 - Bell transformer
ETIM 5	EC001547 - Bell transformer
ETIM 6	EC001547 - Bell transformer
ETIM 7	EC001547 - Bell transformer
Object Classification Code	T
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

Categories

Low Voltage Products and Systems → Modular DIN Rail Products → Command and Signalling devices → Bells and safety transformers

