

PRODUCT-DETAILS

M1175

M1175 Socket outlet



General Information	
Extended Product Type	M1175
Product ID	2CSM210000R0721
EAN	8012542027850
Catalog Description	M1175 Socket outlet
Long Description	This modular socket allows the connection of devices, tools or electrical and electronic

Technical	
Standards	German Schuko standard
Color	Grey
Options Provided	None
Power Loss	at Rated Operating Conditions per Pole 0.6 W
Rated Voltage (U _r)	250 V

Environmental	
RoHS Status	Following EU Directive 2002/95/EC August 18, 2005 and amendment

Dimensions	
Product Net Width	0.045 m

M1175

Product Net Height	0.085 m
Product Net Depth / Length	0.070 m
Product Net Weight	0.115 kg

Container Information		
Package Level 1 Units	4 piece	
Package Level 1 Width	0.09 m	
Package Level 1 Height	0.08 m	
Package Level 1 Depth / Length	0.18 m	
Package Level 1 Gross Weight	0.54 kg	
Package Level 1 EAN	8012542027850	

Ordering	
Minimum Order Quantity	1 piece
Customs Tariff Number	85366990
E-Number (Finland)	2519722

Certificates and Declarations (Document Number)	
Declaration of Conformity - CE	9AKK107492A6968
Environmental Information	See RoHS Information
Instructions and Manuals	on the product body
RoHS Information	2CCC413008D0206

Popular Downloads	
Data Sheet, Technical Information	2CSC400002D0209
Instructions and Manuals	on the product body

Classifications	
Object Classification Code	Х
ETIM 4	EC001321 - CEE socket outlet
ETIM 5	EC001321 - CEE socket outlet
ETIM 6	EC001663 - Socket outlet for distribution board
ETIM 7	EC001663 - Socket outlet for distribution board

entifier Description C		Unit Of Measure
ACS 1000	No Description Available 1	piece
ACS 5000 Water Cooled	No Description Available 1	piece
ACS 6000	No Description Available 1	piece

Product specific part data		
Product	Category	Drive Part Category
ACS 1000	ACS1000	Switches, Relays, Contactors
ACS 5000 Water Cooled	ACS5000	Switches, Relays, Contactors
ACS 6000	ACS6000	Switches, Relays, Contactors

Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Modular\ DIN\ Rail\ Products \rightarrow Command\ and\ Signalling\ devices \rightarrow Socket\ Outlets$

 $\mathsf{Drives} \to \mathsf{Medium} \ \mathsf{voltage} \ \mathsf{AC} \ \mathsf{drives} \to \mathsf{General} \ \mathsf{Performance} \ \mathsf{Drives} \to \mathsf{ACS5000}$

 $Drives \rightarrow Medium \, voltage \, AC \, drives \rightarrow Industrial \, drives \rightarrow ACS6000$

