

PRODUCT-DETAILS

S2C-EST

S2C-EST - Plug-in base



General Information

Extended Product Type	S2C-EST
Product ID	2CSS200999R0001
EAN	8012542940708
Catalog Description	S2C-EST - Plug-in base
Long Description	The S2C-EST plug-in device can transform a standard S200 or F200 breaker into a plug-in device. It is suitable for MCB S200 series and RCCB F200 series up to 63A, and RCBO DS201 and DS202C series.

Ordering

E-Number (Finland)	3210860
E-Number (Sweden)	2100360
EAN	8012542940708
Minimum Order Quantity	1 piece
Customs Tariff Number	85389099

Dimensions

Product Net Width	0.018 m
Product Net Height	0.164 m
Product Net Depth / Length	0.067 m
Product Net Weight	0.075 kg

Container Information

Package Level 1 Units	blister 1 piece
Package Level 1 Width	0.068 m
Package Level 1 Height	0.164 m
Package Level 1 Depth / Length	0.018 m
Package Level 1 Gross Weight	0.115 kg
Package Level 1 EAN	8012542940708

Environmental

RoHS Status	Following EU Directive 2011/65/EU
-------------	-----------------------------------

Additional Information

Accessory Type	Connection technique
Product Main Type	S2C-EST
Product Name	Plug-in base
Suitable For	S200, F200, DS201, DS202C
Suitable for Product Class	Miniature Circuit Breakers MCBs Residual Current Devices RCDs Residual Current Breakers with Overload Protection RCBo

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	2CSC400002D0209
Declaration of Conformity - CE	9AKK106713A5575
Environmental Information	document not needed
Instructions and Manuals	2CSS490003D0001

Classifications

ETIM 4	EC000042 - Miniature circuit breaker (MCB)
ETIM 5	EC000042 - Miniature circuit breaker (MCB)
ETIM 6	EC002498 - Accessories for low-voltage switch technology
ETIM 7	EC002498 - Accessories for low-voltage switch technology
Object Classification Code	Q
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

Categories

Low Voltage Products and Systems → Modular DIN Rail Products → Miniature Circuit Breakers MCBs Accessories → Mechanical Accessories

