


PRODUCT-DETAILS

AU80.2

AU80.2 Mounting box



General Information

Extended Product Type	AU80.2
Product ID	2TKA00002541
EAN	6438199004273
Catalog Description	AU80.2 Mounting box
Long Description	The box is mentioned for the installations with the flexible pipe. There is six knock outs for 16/20 mm pipes and two for the 20 mm pipe. In the bottom there is two knock outs for the bottom inlets. The mounting box includes a rotating, steplessly adjustable extension ring with two locking wings and two red half circles enabling installation on boards with a thickness of 12- 39 mm. The minimum installation depth is 45 mm and overall height 58-73 mm. The box includes a metal struss fixture. Made of halogen free material (IEC/61249-2-21) and fulfills the requirements of the glow wire test according to the standard IEC/EN60670: 2005 (850 °C).

Ordering

EAN	6438199004273
Minimum Order Quantity	60 piece
Customs Tariff Number	39259080

Dimensions

Product Net Width	0.074 m
Product Net Height	0.057 m
Product Net Depth / Length	124 mm

Product Net Weight	0.1305 kg
--------------------	-----------

Container Information

Package Level 1 Units	box 60 piece
Package Level 1 Width	0.34 m
Package Level 1 Height	0.27 m
Package Level 1 Depth / Length	0.385 m
Package Level 1 Gross Weight	8.1 kg
Package Level 1 EAN	6438199004273
Package Level 3 Units	pallet (lift) 1080 piece
Package Level 3 Width	1.2 m
Package Level 3 Height	1.1 m
Package Level 3 Depth / Length	0.8 m
Package Level 3 Gross Weight	145.8 kg

Additional Information

Color	White
Degree of Protection	IP3X
Design	Device connection box (round/square)
Includes	Mounting plate
Interior Depth	54 mm
Material	Plastic
Mounting Type	Flush mounted (plaster)
Number of Poles	0
Product Main Type	Flush-mounted boxes
Product Name	Mounting box
Shape	Round
Surface Finishing	Untreated
Tube Diameter	16 mm

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	9AKK10103A2549
Declaration of Conformity - CE	9AKK106713A4627
Instructions and Manuals	9AKK10103A2549
RoHS Information	9AKK106713A4634

Classifications

ETIM 5	EC002601 - Box/housing for built-in mounting in the wall/ceiling
ETIM 6	EC002601 - Box/housing for built-in mounting in the wall/ceiling
ETIM 7	EC002601 - Box/housing for built-in mounting in the wall/ceiling
WEEE Category	Product Not in WEEE Scope

Categories

Low Voltage Products and Systems → Installation Materials → Flush Mounted Boxes → Plastic Installation Boxes (for WA Inserts)
→ Hollow Wall

