

## PRODUCT-DETAILS

# AUS90

## AUS90 Renovation 1,5 box



### Общая информация

|                                 |                          |
|---------------------------------|--------------------------|
| Тип расширенного изделия        | AUS90                    |
| Идентификационный номер изделия | 2TKA00002897             |
| Европейский товарный код (EAN)  | 6438199004563            |
| Описание в каталоге             | AUS90 Renovation 1,5 box |

### Длинное описание

The AUS90 is a front-mounted mounting box for flat socket outlet ( for example 302EUJT ) with telescope bottom part for board walls of 1 – 3 gypsum boards ( thickness of the wall 9 – 39 mm ). The height of the box is 54 – 70 mm thanks to the moving bottom part. The installation hole diameter is 73 X 90 mm (box drill AT4). At the side of the bottom part are three inlets for the 16 mm flexi pipe. There is also one inlet for the 16/20 mm and one inlet for the 20 mm flexi pipe. ). There are two inlets with strain reliefs on the bottom of the box for installing 8 - 13 mm cables and two inlets for the low voltage cables. The box has four openings, one on each side, through which conductors can also be conveyed from one box to another. At the top of the box there are two fixing places for screws to install it to the log wall. At the bottom there are marking holes for drilling the installation holes overlapping each other. The protection class is IP3X. Made of halogen free material (IEC/61249-2-21) and fulfills the requirements of the glow wire test according to the standard IEC/EN60670: 2005 (850 °C).

### Ordering

|                                |               |
|--------------------------------|---------------|
| E-Number (Sweden)              | 1420086       |
| Европейский товарный код (EAN) | 6438199004563 |
| Минимальный объем заказа       | 50 штука      |

|                          |          |
|--------------------------|----------|
| Номер таможенного тарифа | 39259080 |
|--------------------------|----------|

## Dimensions

|                        |           |
|------------------------|-----------|
| Чистая ширина изделия  | 73 mm     |
| Чистая высота изделия  | 0.055 m   |
| Чистая длина изделия   | 88 mm     |
| Чистая толщина изделия | 88 mm     |
| Чистый вес изделия     | 0.0403 kg |

## Container Information

|                                |               |
|--------------------------------|---------------|
| Package Level 1 Units          | box 50 штука  |
| Package Level 1 Width          | 0.24 m        |
| Package Level 1 Height         | 0.055 m       |
| Package Level 1 Depth / Length | 0.4 m         |
| Package Level 1 Gross Weight   | 2.387 kg      |
| Package Level 1 EAN            | 6438199004563 |
| Package Level 3 Units          | 1600 штука    |
| Package Level 3 Width          | 1.2 m         |
| Package Level 3 Height         | 1.1 m         |
| Package Level 3 Depth / Length | 0.8 m         |

## Additional Information

|                      |                                      |
|----------------------|--------------------------------------|
| Диаметр кабеля       | 8...13 mm                            |
| Цвет                 | White                                |
| Степень защиты       | IP3X                                 |
| Конструкция          | Device connection box (round/square) |
| Внутренняя глубина   | 52 mm                                |
| Материалы            | Plastic                              |
| Тип монтажа          | Flush mounted (plaster)              |
| Количество полюсов   | 0                                    |
| Основной тип изделия | Flush-mounted boxes                  |
| Название изделия     | Renovation 1,5 box                   |
| Форма                | Round                                |
| Surface Finishing    | Untreated                            |
| Диаметр трубки       | 16 mm                                |

## Certificates and Declarations (Document Number)

|                                |                 |
|--------------------------------|-----------------|
| Технические данные             | 9AKK10103A2549  |
| Декларация о соответствии - CE | 9AKK106713A4627 |

|                                                                |                 |
|----------------------------------------------------------------|-----------------|
| Инструкции и руководства                                       | 9AKK10103A2549  |
| Правила ограничения содержания вредных веществ.RoHS информация | 9AKK106713A4634 |

Classifications

|               |                                                                  |
|---------------|------------------------------------------------------------------|
| ETIM 5        | EC002601 - Box/housing for built-in mounting in the wall/ceiling |
| ETIM 6        | EC002601 - Box/housing for built-in mounting in the wall/ceiling |
| ETIM 7        | EC002601 - Box/housing for built-in mounting in the wall/ceiling |
| WEEE Category | Product Not in WEEE Scope                                        |

Категории

Низковольтное оборудование → Электроустановочное оборудование → Flush Mounted Boxes → Plastic Installation Boxes (for WA Inserts) → Hollow Wall

