

## PRODUCT-DETAILS

# 1062SW

## 1062SW Switch



### General Information

|                       |                                                                                                                                                               |
|-----------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Extended Product Type | 1062SW                                                                                                                                                        |
| Product ID            | 2TKA000138G1                                                                                                                                                  |
| EAN                   | 6418677334535                                                                                                                                                 |
| Catalog Description   | 1062SW Switch                                                                                                                                                 |
| Long Description      | Surface mounting switch with screwless terminals. The terminals are for max 2 rigid wires. X-terminals are for extending the wires. Delivered without a lamp. |

### Ordering

|                        |               |
|------------------------|---------------|
| E-Number (Finland)     | 2006519       |
| E-Number (Sweden)      | 1818376       |
| EAN                    | 6418677334535 |
| Minimum Order Quantity | 1 piece       |
| Customs Tariff Number  | 85365080      |

### Dimensions

|                            |          |
|----------------------------|----------|
| Product Net Width          | 68 mm    |
| Product Net Height         | 43 mm    |
| Product Net Depth / Length | 80 mm    |
| Product Net Weight         | 0.098 kg |

## Container Information

|                                |                          |
|--------------------------------|--------------------------|
| Package Level 1 Units          | bag 1 piece              |
| Package Level 1 Width          | 0.09 m                   |
| Package Level 1 Height         | 0.095 m                  |
| Package Level 1 Depth / Length | 0.061 m                  |
| Package Level 1 Gross Weight   | 0.112 kg                 |
| Package Level 1 EAN            | 6418677334535            |
| Package Level 2 Units          | box 10 piece             |
| Package Level 2 Width          | 0.18 m                   |
| Package Level 2 Height         | 0.095 m                  |
| Package Level 2 Depth / Length | 0.305 m                  |
| Package Level 2 Gross Weight   | 1.122 kg                 |
| Package Level 2 EAN            | 6418677334535            |
| Package Level 3 Units          | pallet (lift) 1200 piece |
| Package Level 3 Width          | 1.2 m                    |
| Package Level 3 Height         | 1.1 m                    |
| Package Level 3 Depth / Length | 0.8 m                    |
| Package Level 3 Gross Weight   | 142.2 kg                 |

## Additional Information

|                         |                                                          |
|-------------------------|----------------------------------------------------------|
| Actuator Type           | Rocker/button                                            |
| Color                   | White                                                    |
| Degree of Protection    | IP44                                                     |
| Function                | Function lighting: Control and orientation               |
| Lamp Type               | Not included                                             |
| Material                | Plastic                                                  |
| Mounting Type           | Surface mounted (plaster)                                |
| Product Main Type       | IP44 Switches / Retractive switches                      |
| Product Name            | Switch                                                   |
| Rated Current ( $I_n$ ) | 16 A                                                     |
| Rated Voltage ( $U_r$ ) | 250 V                                                    |
| Surface Finishing       | Surface protection: Untreated<br>Surface finishing: Matt |

## Certificates and Declarations (Document Number)

|                                   |                 |
|-----------------------------------|-----------------|
| Data Sheet, Technical Information | 9AKK10103A3029  |
| Declaration of Conformity - CE    | 9AKK10103A2377  |
| Instructions and Manuals          | 9AKK10103A3029  |
| RoHS Information                  | 9AKK106713A4634 |

## Classifications

|               |                                                            |
|---------------|------------------------------------------------------------|
| ETIM 5        | EC001590 - Switch                                          |
| ETIM 6        | EC001590 - Switch                                          |
| ETIM 7        | EC001590 - Switch                                          |
| WEEE Category | 5. Small Equipment (No External Dimension More Than 50 cm) |

---

## Categories

---

Low Voltage Products and Systems → Switch Assortments → Light / LoadControl → Mechanical Switch / Push Button → Mechanical Switch / Push Button - Flush Mounted → Mechanical Switch / Push Button

Low Voltage Products and Systems → Switch Assortments → Surface Mounted VDE Range - ABB Nordics → Design Jussi IP44/IP55 → Switches, Push Switches and Signal Lights → Mechanical Switch / Push Button

