

PRODUCT-DETAILS

PMR576

PMR576 Protective cover



Общая информация

Тип расширенного изделия	PMR576
Идентификационный номер изделия	2TKA110010G1
Европейский товарный код (EAN)	6410019130973
Описание в каталоге	PMR576 Protective cover
Длинное описание	In surface mounting, a cover is used to protect AM4 and AM5. The cover has provisions for the conductors to fit to the bar's spacing and it is fixed on the wall with two screws.

Ordering

E-Number (Finland)	1913097
E-Number (Sweden)	0681005
Европейский товарный код (EAN)	6410019130973
Минимальный объем заказа	25 штука
Номер таможенного тарифа	39269097

Dimensions

Чистая ширина изделия	200 mm
-----------------------	--------

Чистая высота изделия	45 mm
Чистая длина изделия	180 mm
Чистая толщина изделия	0.06 m
Чистый вес изделия	0.0456 kg

Container Information

Package Level 1 Units	box 25 штука
Package Level 1 Width	0.25 m
Package Level 1 Height	0.115 m
Package Level 1 Depth / Length	0.375 m
Package Level 1 Gross Weight	1.39 kg
Package Level 1 EAN	6410019130973
Package Level 2 EAN	6410019130973
Package Level 3 Units	pallet (lift) 1575 штука
Package Level 3 Width	1.2 m
Package Level 3 Height	1.1 m
Package Level 3 Depth / Length	0.8 m
Package Level 3 Gross Weight	119.52 kg

Additional Information

Конструкция	Surface mounting fix
Количество соединений	Number of connections round conductor total: 0
Основной тип изделия	Earthing materials
Название изделия	Protective cover

Certificates and Declarations (Document Number)

Технические данные	9AKK10103A2549
Декларация о соответствии - CE	9AKK10103A2338
Инструкции и руководства	9AKK10103A2549
Правила ограничения содержания вредных веществ.RoHS информация	9AKK106713A4634

Classifications

ETIM 5	EC001470 - Equipotential bonding bar
ETIM 6	EC001470 - Equipotential bonding bar
ETIM 7	EC001470 - Equipotential bonding bar
WEEE Category	Product Not in WEEE Scope

Категории

Низковольтное оборудование → Электроустановочное оборудование → Installation and Cabling Accessories → Earthing Material → Other Materials

