

PRODUCT-DETAILS

AK14

AK14 Extension ring



General Information

Extended Product Type	AK14
Product ID	2TKA130002G1
EAN	6410011521953
Catalog Description	AK14 Extension ring
Long Description	The AK14 extension ring is used to change the depth of the AU8 and AU19 junction boxes, so that conduiting can take place above the concrete reinforcement. It gives a 75 mm space between the top level of the cast and the conduits; the AU19 gives a space of 67 mm.

Ordering

E-Number (Finland)	1152195
EAN	6410011521953
Minimum Order Quantity	50 piece
Customs Tariff Number	39259080

Dimensions

Product Net Width	0.094 m
Product Net Height	0.045 m
Product Net Depth / Length	0.135 m
Product Net Weight	0.0514 kg

Container Information

Package Level 1 Units	box 50 piece
Package Level 1 Width	0.4 m
Package Level 1 Height	0.26 m
Package Level 1 Depth / Length	0.4 m
Package Level 1 Gross Weight	3.05 kg
Package Level 1 EAN	6410011521953
Package Level 3 Units	pallet (lift) 1200 piece
Package Level 3 Width	1.2 m
Package Level 3 Height	1.1 m
Package Level 3 Depth / Length	0.8 m
Package Level 3 Gross Weight	100.92 kg

Additional Information

Application	Built-in installation box (device box)
Mounting Type	Hollow wall
Product Main Type	Accessories for mounting boxes
Product Name	Extension ring
Shape	Round

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	9AKK10103A2549
Declaration of Conformity - CE	9AKK106713A4627
Instructions and Manuals	9AKK10103A2549
RoHS Information	9AKK106713A4634

Classifications

ETIM 5	EC000115 - Plaster compensation ring
ETIM 6	EC000115 - Plaster compensation ring
ETIM 7	EC000115 - Plaster compensation ring
WEEE Category	Product Not in WEEE Scope

Categories

Low Voltage Products and Systems → Installation Materials → Flush Mounted Boxes → Accessories for Plastic Flush Mounted Boxes → Extension Rings

