

PRODUCT-DETAILS

AN20.16

AN20.16 Reducer



General Information

Extended Product Type	AN20.16
Product ID	2TKA160026G1
EAN	6410011527306
Catalog Description	AN20.16 Reducer
Long Description	Facilitates easy inlet reduction from D20 (20 mm) to D16 (16 mm) when a D16 conduit needs to be connected into a D20 inlet. Made of halogen free material (IEC/61249-2-21).

Ordering

E-Number (Finland)	1152730
E-Number (Sweden)	1422345
EAN	6410011527306
Minimum Order Quantity	100 piece
Customs Tariff Number	39174000

Dimensions

Product Net Width	0.02 m
Product Net Height	0.027 m
Product Net Depth / Length	0.026 m
Product Net Weight	0.0022 kg

Container Information

Package Level 1 Units	box 100 piece
Package Level 1 Width	0.05 m
Package Level 1 Height	0.115 m
Package Level 1 Depth / Length	0.375 m
Package Level 1 Gross Weight	0.228 kg
Package Level 1 EAN	6410011527306
Package Level 2 Units	crate 500 piece
Package Level 2 Width	0.25 m
Package Level 2 Height	0.115 m
Package Level 2 Depth / Length	0.375 m
Package Level 2 Gross Weight	1.39 kg
Package Level 2 EAN	6410011527306
Package Level 3 Units	pallet (lift) 31500 piece
Package Level 3 Width	1.2 m
Package Level 3 Height	1.1 m
Package Level 3 Depth / Length	0.8 m
Package Level 3 Gross Weight	103.77 kg

Additional Information

Product Main Type	Piping materials
Product Name	Reducer

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	9AKK10103A2549
Declaration of Conformity - CE	9AKK106713A4627
Instructions and Manuals	9AKK10103A2549
RoHS Information	9AKK106713A4634

Classifications

ETIM 5	EC002328 - Accessories for junction boxes/junction cases for mounting in the wall
ETIM 6	EC002328 - Accessories for junction boxes/junction cases for mounting in the wall
ETIM 7	EC002328 - Accessories for junction boxes/junction cases for mounting in the wall
WEEE Category	Product Not in WEEE Scope

Categories

Low Voltage Products and Systems → Installation Materials → Flush Mounted Boxes → Accessories for Plastic Flush Mounted Boxes → Inlets

