

PRODUCT-DETAILS

Sentry TSR20 24VDC

Safety/Expansion Relay Sentry TSR20 24VDC -
3 NO + 1 NC - OFF-Delay - 0.5 and 1.5 seconds



General Information

Extended Product Type	Sentry TSR20 24VDC
Product ID	2TLA010061R0000
EAN	7350024483352
Catalog Description	Safety/Expansion Relay Sentry TSR20 24VDC - 3 NO + 1 NC - OFF-Delay - 0.5 and 1.5 seconds
Long Description	TSR20 is a safety expansion timer with delayed relay outputs, 3 NO + 1 NC, and a +24VDC power supply. The OFF-delay time (0,5s or 1,5s) is set with a switch on the front.

Ordering

Minimum Order Quantity	1 piece
Customs Tariff Number	85364110

Popular Downloads

Data Sheet, Technical Information	2TLC010037L0201
Instructions and Manuals	2TLC010002M0201
Dimension Diagram	2TLC010001U0201
Wiring Diagram	2TLC010014T0001
Marketing Video	2TLC010019N0201 2TLC010018N0201

Dimensions

Product Net Depth / Length	120 mm
Product Net Height	120 mm
Product Net Width	22.5 mm
Product Net Weight	0.207 kg

Technical

Performance Level (PL)	Up to e
Rated Control Supply Voltage (U _s)	24 V DC

Certificates and Declarations (Document Number)

CCC Certificate	2020980303000244
CQC Certificate	2020980303000244
cUL Certificate	2TLC010006D0201
cULus Certificate	2TLC010007D0201
Declaration of Conformity - CCC	2020980303000244
Declaration of Conformity - CE	2TLC010010D0201
Instructions and Manuals	2TLC010002M0201
KC Certificate	2TLC010048D0201
TÜV Certificate	2TLC010008D0201

Classifications

Object Classification Code	K
ETIM 4	EC001449 - Device for monitoring of safety-related circuits
ETIM 5	EC001449 - Device for monitoring of safety-related circuits
ETIM 6	EC001449 - Device for monitoring of safety-related circuits
ETIM 7	EC001449 - Device for monitoring of safety-related circuits
eClass	V11.0 : 27371819
UNSPSC	39122331
E-Number (Finland)	2712529
E-Number (Sweden)	3860826

Categories

Low Voltage Products and Systems → Control Products → Electronic Relays and Controls → Safety Relays

Low Voltage Products and Systems → Control Products → Safety Products → Safety Relays

