

## PRODUCT-DETAILS

# JSHD4-3-AH-A

## JSHD4-3-AH-A Enabling Switch



### General Information

|                       |                                                                                                                                                    |
|-----------------------|----------------------------------------------------------------------------------------------------------------------------------------------------|
| Extended Product Type | JSHD4-3-AH-A                                                                                                                                       |
| Product ID            | 2TLA019995R2100                                                                                                                                    |
| EAN                   | 7350024453553                                                                                                                                      |
| Catalog Description   | JSHD4-3-AH-A Enabling Switch                                                                                                                       |
| Long Description      | Three-position device. Top part with LEDs and no extra buttons. Bottom part with cable gland and PCB with 10 screw connection and anti-tamper PCB. |

### Additional Information

|                |                                           |
|----------------|-------------------------------------------|
| Product Name   | Three-position handheld device - Complete |
| Sub-Function   | No auxiliary button                       |
| Sub-Function 2 | Anti-tamper                               |

### Safety Information

|                        |         |
|------------------------|---------|
| Performance Level (PL) | Up to e |
|------------------------|---------|

### Technical

|                          |                                     |
|--------------------------|-------------------------------------|
| Communication Interface  | Contacts                            |
| Connection Configuration | Cable gland and 10 screw connection |

---

## Environmental

|                         |                          |
|-------------------------|--------------------------|
| Degree of Protection    | IP65                     |
| Ambient Air Temperature | Operation -10 ... +70 °C |

---

---

## Popular Downloads

|                                   |                 |
|-----------------------------------|-----------------|
| Data Sheet, Technical Information | 2TLC010001C0202 |
| Instructions and Manuals          | 2TLC172072M0201 |

---

---

## Certificates and Declarations (Document Number)

|                                |                 |
|--------------------------------|-----------------|
| CSA Certificate                | 2TLC172086D0201 |
| Declaration of Conformity - CE | 2TLC172022D0201 |
| Instructions and Manuals       | 2TLC172072M0201 |
| SEMKO Certificate              | 2TLC172032D0201 |

---

---

## Dimensions

|                            |          |
|----------------------------|----------|
| Product Net Width          | 34 mm    |
| Product Net Depth / Length | 60 mm    |
| Product Net Height         | 254 mm   |
| Product Net Weight         | 0.314 kg |

---

---

## Ordering

|                        |             |
|------------------------|-------------|
| Minimum Order Quantity | 1 piece     |
| Country of Origin      | Sweden (SE) |
| Customs Tariff Number  | 8536909599  |

---

---

## Classifications

|                            |                             |
|----------------------------|-----------------------------|
| Object Classification Code | S                           |
| ETIM 6                     | EC002571 - Agreement switch |
| ETIM 7                     | EC002571 - Agreement switch |
| eClass                     | V11.0 : 27371238            |

---

---

## Categories

Low Voltage Products and Systems → Control Products → Safety Products → Safety Control Devices

