


PRODUCT-DETAILS

JSHD4-3-AK

JSHD4-3-AK Enabling switch



General Information

Extended Product Type	JSHD4-3-AK
Product ID	2TLA019995R5100
EAN	7350024483659
Catalog Description	JSHD4-3-AK Enabling switch
Long Description	Three-position device. Top part with LEDs and no extra buttons. Bottom part with Cannon connector. Mainly for replacement of older non modular JSHD4 enabling device (Jokab brand).

Additional Information

Product Name	Three-position handheld device - Complete
Sub-Function	No auxiliary button

Safety Information

Performance Level (PL)	Up to e
------------------------	---------

Technical

Communication Interface	Contacts
Connection Configuration	Cannon 12 male pins

Environmental

Degree of Protection	IP65
Ambient Air Temperature	Operation -10 ... +70 °C

Popular Downloads

Data Sheet, Technical Information	2TLC010001C0202
Instructions and Manuals	2TLC172072M0201

Certificates and Declarations (Document Number)

CSA Certificate	2TLC172086D0201
Declaration of Conformity - CE	2TLC172022D0203
Instructions and Manuals	2TLC172072M0201
SEMKO Certificate	2TLC172032D0201

Dimensions

Product Net Width	34 mm
Product Net Depth / Length	60 mm
Product Net Height	200 mm
Product Net Weight	0.25 kg

Ordering

Minimum Order Quantity	1 piece
Country of Origin	Sweden (SE)
Customs Tariff Number	85369095

Classifications

Object Classification Code	S
ETIM 6	EC002571 - Agreement switch
ETIM 7	EC002571 - Agreement switch
eClass	V11.0 : 27371238

Categories

Low Voltage Products and Systems → Control Products → Safety Products → Safety Control Devices

