

PRODUCT-DETAILS

JSHD2C type K

JSHD2C type K Enabling Switch



General Information

Extended Product Type	JSHD2C type K
Product ID	2TLA020001R1300
EAN	7350024456851
Catalog Description	JSHD2C type K Enabling Switch
Long Description	Three-position pushbutton, Ag contact, 2 leads 290mm, Foff = 20 N

Additional Information

Product Name	Three-position single pushbutton
Function	Three-position single pushbutton

Technical

Communication Interface	Contacts
Connection Configuration	2 leads, 290 mm each
Technical Information	Foff: 20 N; Mechanical service life: > 1 million cycles, top to middle position, > 100 000 cycles, middle to bottom position

Environmental

Degree of Protection	IP54
----------------------	------

Ambient Air Temperature	Operation -25 ... +55 °C Storage -40 ... +85 °C
Material	Contact: Ag; Housing: POM 20% GF (yellow); Plunger: PBT (Black)

Popular Downloads

Data Sheet, Technical Information	2TLC010001C0202
-----------------------------------	-----------------

Certificates and Declarations (Document Number)

Declaration of Conformity - CE	2TLC172022D0201
SEMKO Certificate	2TLC172032D0201

Dimensions

Product Net Width	26.55 mm
Product Net Depth / Length	13.5 mm
Product Net Height	29.2 mm
Product Net Weight	0.01 kg

Ordering

Minimum Order Quantity	1 piece
Country of Origin	Sweden (SE)
Customs Tariff Number	85369095

Classifications

Object Classification Code	B
ETIM 6	EC002611 - Control switch
ETIM 7	EC002611 - Control switch
eClass	V11.0 : 27371238
UNSPSC	39121545

Categories

Low Voltage Products and Systems → Control Products → Safety Products → Safety Control Devices

