

PRODUCT-DETAILS

# **JSHD2C type F**JSHD2C type F Enabling Switch



General Information	
Extended Product Type	JSHD2C type F
Product ID	2TLA020001R1400
EAN	7350024456868
Catalog Description	JSHD2C type F Enabling Switch
Long Description	Three-position pushbutton, Au contact, 3 leads 1250mm, Foff = 20 N

Additional Information	
Product Name	Three-position single pushbutton
Function	Three-position single pushbutton

Technical	
Communication Interface	Contacts
Connection Configuration	3 leads, 1250 mm each
Technical Information	Foff: 20 N; Mechanical service life: > 1 million cycles, top to middle position, > 100 000 cycles, middle to bottom position

Environmental	
Degree of Protection	IP54

Ambient Air Operation -25 ... +55 °C Temperature Storage -40 ... +85 °C

Material Contact: Au; Housing: POM 20% GF (yellow); Plunger: PBT (Black)

### **Popular Downloads**

Data Sheet, Technical 2TLC010001C0202 Information

# **Certificates and Declarations (Document Number)**

Declaration of	2TLC172022D0201
Conformity - CE	
SEMKO Certificate	2TLC172032D0201

## **Dimensions**

Product Net Width	26.55 mm
Product Net Depth / Length	13.5 mm
Product Net Height	29.2 mm
Product Net Weight	0.01 kg

# Ordering

Minimum Order Quantity	1 piece
Country of Origin	Sweden (SE)
Customs Tariff Number	85369095

## Classifications

Object Classification Code	В
ETIM 6	EC002611 - Control switch
ETIM 7	EC002611 - Control switch
eClass	V11.0 : 27371238
UNSPSC	39121545

## **Categories**

 $\textbf{Low Voltage Products} \rightarrow \textbf{Safety Products} \rightarrow \textbf{Safety Products} \rightarrow \textbf{Safety Control Devices}$ 

JSHD2C type F 3

