

PRODUCT-DETAILS

Tina 3Aps

Tina 3Aps Adapter 2 contacts+supply M12-5



General Information

Extended Product Type	Tina 3Aps
Product ID	2TLA020054R1400
EAN	7350024451993
Catalog Description	Tina 3Aps Adapter 2 contacts+supply M12-5
Long Description	Adaptation of devices with 2 positively driven force-guided contacts like E-stop buttons and key switches, to the DYNlink solution, with extra conductor for the supply of the safety device. Tina 3A is mounted directly on the device enclosure to a M20 cable entry and has a M12-5 male connector for connection to the DYNlink loop. Connection to +24VDC and 0V on the device side.

Ordering

Minimum Order Quantity	1 piece
Customs Tariff Number	8544429090

Popular Downloads

Data Sheet, Technical Information	2TLC010001C0202
Instructions and Manuals	2TLC172125M0201

Dimensions

Product Net Depth / Length	24 mm
Product Net Height	24 mm
Product Net Width	57 mm
Product Net Weight	0.026 kg

Technical

Suitable For	Pluto AS-i v2 Pluto A20 v2 Pluto B20 v2 Pluto B22 Pluto B42 AS-i Pluto B46 v2 Pluto D20 Pluto D20 (Harsh Env) Pluto D45 Pluto D45 (Harsh Env) Pluto O2 Pluto S20 v2 Pluto S46 v2 Vital 1 Vital 2 Vital 3
--------------	---

Certificates and Declarations (Document Number)

CSA Certificate	2TLC172045D0201
Declaration of Conformity - CE	2TLC172017D0201
Instructions and Manuals	2TLC172125M0201
TÜV Certificate	2TLC172046D0401

Classifications

Object Classification Code	T
ETIM 4	EC001584 - I/O device for bus system
ETIM 5	EC001584 - I/O device for bus system
ETIM 6	EC001584 - I/O device for bus system
ETIM 7	EC001584 - I/O device for bus system
UNSPSC	39122221
E-Number (Finland)	2307391
E-Number (Sweden)	3861356

Categories

Low Voltage Products and Systems → Control Products → Safety Products → Programmable Safety Controllers Accessories

Low Voltage Products and Systems → Control Products → Safety Products → Safety Adapter Units

