

PRODUCT-DETAILS

H81383K-S

H81383K-S OS, IPkeypad, with display, ID, Induction loop



General Information

Extended Product Type	H81383K-S
Product ID	2TMA130010X0037
EAN	6955891809154
Catalog Description	H81383K-S OS, IPkeypad, with display, ID, Induction loop
Long Description	ABB Welcome IP Video outdoor station, with keypad, with ID card reader, stainless steel, with induction loop

Ordering

EAN	6955891809154
Customs Tariff Number	85177090
Minimum Order Quantity	1 piece
E-Number (Finland)	2815636

Dimensions

Product Net Depth / Length	0.349 m
Product Net Height	0.135 m
Product Net Width	0.029 m
Product Net Weight	1.385 kg

Container Information

Package Level 1 Units	box 1 piece
Package Level 1 EAN	6955891809154
Package Level 1 Depth / Length	0.415 m
Package Level 1 Height	0.18 m
Package Level 1 Width	0.075 m
Package Level 1 Gross Weight	1.755 kg
Package Level 3 Units	box 8 piece
Package Level 3 Depth / Length	0.45 m
Package Level 3 Height	0.28 m
Package Level 3 Width	0.26 m
Package Level 3 Gross Weight	15 kg

Technical

Mounting Type	Flush mounted (plaster)
Screen Size	2.5 in

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	No document needed
Instructions and Manuals	2TMU170000M0048 2TMU180000M0001 2TMU190000M0023 2TMU200000M0001 2TMU200000M0036
Declaration of Conformity - CE	2TMD081313X0024

Environmental

RoHS Status	Following EU Directive 2011/65/EU
-------------	-----------------------------------

Classifications

ETIM 6	EC000355 - Door loudspeaker
ETIM 7	EC000355 - Door station door communication
WEEE Category	6. Small IT and Telecommunication Equipment (No External Dimension More Than 50 cm)

Categories

Low Voltage Products and Systems → Home and Building Automation → Door Entry Systems → Welcome IP → Video Outdoor Stations

