


PRODUCT-DETAILS

RT/U30.0.1-825

RT/U30.0.1-825 ABB RoomTouch® 5"



Ogólne informacje

Extended Product Type	RT/U30.0.1-825
ID Produktu	2TMA200050B0005
Numer EAN	6955891816190
Opis katalogowy	RT/U30.0.1-825 ABB RoomTouch® 5"

Opis	Multifunctional HD IPS KNX touchdisplay as a room control element for visualisation and control of all functions in a KNX system. For the display and intuitive control of the following standard KNX functions: Switching, rocker switch, dimming (4-bit and 8-bit), slider, blind, RGBW control element, room temperature control element, Split Unit control element, step switch, scene switch, display element or audio control element. Additional functions: 20 fault and alarm messages, 10 logic functions, 10 timers each with 6 switching times, 4 scene actuators, 1 room temperature controller and individual pages can be protected with a PIN code. Status display, display of date and time, as well as inside and outside temperature. Installed temperature sensor, proximity sensor and brightness sensor. With a push-button/switch input and external temperature sensor input. Page display with a maximum of 30 touch surfaces on 6 or 10 pages (dependent on the mounting method). Viewing angle display: 160° - 160°. Mounting via a separate flush-mounted box. External power supply: 20-32 VDC (SELV).
------	---

Charakterystyka zamówienia

Numer EAN	6955891816190
Kod taryfy celnej	85371091
Minimalna ilość zamówienia	1 sztuka

E-Number (Finland)

2815630

Wymiary

Głębokość produktu netto	40 mm
Wysokość produktu netto	144 mm
Szerokość produktu netto	80 mm
Waga produktu netto	0.375 kg

Informacje o pakowaniu

Jednostka opakowania (poziom 1)	box 1 sztuka
EAN opakowania (poziom 1)	6955891816190
Długość opakowania (poziom 1)	204 mm
Wysokość opakowania (poziom 1)	65 mm
Szerokość opakowania (poziom 1)	158 mm
Waga opakowania brutto (poziom 1)	375 g
Jednostka opakowania (poziom 3)	box 22 sztuka
Package Level 3 EAN	6955891816190
Długość opakowania (poziom 3)	0.425 m
Wysokość opakowania (poziom 3)	0.35 m
Szerokość opakowania (poziom 3)	0.33 m
Waga opakowania brutto (poziom 3)	8.986 kg

Dane techniczne

Compatible Bus Systems	KNX
Rodzaj montażu	Flush-mounted
Rozmiar ekranu	5 in

Certyfikaty i deklaracje (Numer dokumentu)

Arkusz danych, informacja techniczna	No document needed
Instrukcje i podręczniki	2TMU190000M0048 2TMU190000M0049 2TMU190000M0050
Deklaracja zgodności - CE	9AKK107680A8247
Dane RoHS	9AKK107680A8249

Normy środowiskowe	
Status RoHS	Following EU Directive 2011/65/EU

Klasyfikacje	
ETIM 5	EC001585 - Multi operating device for bus system
ETIM 6	EC001585 - Multi operating device for bus system
ETIM 7	EC001585 - Multi operating device for bus system
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

Kategorie
Produkty niskiego napięcia i systemy → Home and Building Automation → KNX → Visualisation, Display and Signalling → Touch Panels

