

PRODUCT-DETAILS

314125

RING TERM CU 15-13 AWG NO10 STUD



General Information

Extended Product Type	314125
Product ID	7TAI029030R0029
EAN	5414363935421
Catalog Description	RING TERM CU 15-13 AWG NO10 STUD
Long Description	Insulation Piercing Magnet Wire Ring Terminal, Length 1.22 Inches, Width .41 Inches, Length of Teeth .56 Inches, Width of Teeth .38 Inches, Stud Size 10, Wire Range #15 AWG - #13 AWG 3,260 Circular Mil Area - 12,330 Circular Mil Area, Copper Alloy, Tin Plated

Ordering

EAN	5414363935421
-----	---------------

Dimensions

Product Net Length	0, mm
--------------------	-------

Container Information

Package Level 1 Units	250 piece
Package Level 1 Width	4.5 in 114 mm
Package Level 1 Height	3 in

	76 mm
Package Level 1 Depth / Length	5 in 127 mm
Package Level 2 Units	1000 piece
Package Level 2 Width	9.7 in 246 mm
Package Level 2 Height	3.5 in 89 mm
Package Level 2 Depth / Length	10.8 in 274 mm

Additional Information

Application	For aluminum to copper, aluminum to aluminum or copper to copper magnet wire connections.
Brand / Label	Sta-Kon
Effective Date	19720711
Material	Copper
Number of Batteries	0
Product Name	STA-KON AND CATAMOUNT TERMINAL
Product Type	Ring Terminal
Special Functions	Designed to penetrate magnet wire insulation during application, eliminating the need for stripping, brazing, welding or other methods of joining magnet wire.
UPC	786210869414

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	314125
Instructions and Manuals	314125

Classifications

ETIM 6	EC001052 - Solderless copper terminals for copper conductors
ETIM 7	EC001052 - Solderless copper terminals for copper conductors
UNSPSC	39121432
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	4603 >> Electrical terminals

Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Compression & Mechanical Connectors

