

PRODUCT-DETAILS

# 35M6-A-45

## LUG 45DEG 35MM2 M6 CL A 1HL CU RED



### General Information

|                       |                                                                                                                        |
|-----------------------|------------------------------------------------------------------------------------------------------------------------|
| Extended Product Type | 35M6-A-45                                                                                                              |
| Product ID            | 7TAA302030R0011                                                                                                        |
| EAN                   | 5415022197839                                                                                                          |
| Catalog Description   | LUG 45DEG 35MM2 M6 CL A 1HL CU RED                                                                                     |
| Long Description      | Metric Lug, Copper, Electro-Tin Plating Finish, Class A, Cable Size 35mm Squared, Bolt Size M6, 45 Degree, Red, 1 Hole |

### Ordering

|     |               |
|-----|---------------|
| EAN | 5415022197839 |
|-----|---------------|

### Dimensions

|                    |       |
|--------------------|-------|
| Product Net Length | 0, mm |
|--------------------|-------|

### Container Information

|                         |                  |
|-------------------------|------------------|
| Package Level 1 Units   | 10 piece         |
| Package Level 1 Width   | 2.75 in<br>70 mm |
| Package Level 1 Height  | 2.25 in<br>57 mm |
| Package Level 1 Depth / | 3.25 in          |

|                                |                    |
|--------------------------------|--------------------|
| Length                         | 83 mm              |
| Package Level 2 Units          | 100 piece          |
| Package Level 2 Width          | 6 in<br>152 mm     |
| Package Level 2 Height         | 3.31 in<br>84 mm   |
| Package Level 2 Depth / Length | 12.18 in<br>309 mm |

## Additional Information

|                     |                                         |
|---------------------|-----------------------------------------|
| Brand / Label       | Spec-Kon                                |
| Cable Size          | 35 mm <sup>2</sup>                      |
| Color               | Red                                     |
| Effective Date      | 20131204                                |
| Insulation Material | None                                    |
| Material            | Copper                                  |
| Number of Batteries | 0                                       |
| Product Name        | ELECTRICAL TERMINAL                     |
| Product Type        | Metric Standard Barrel - 45 Degree Bend |
| Stud Size           | M6                                      |
| UPC                 | 786209805201                            |
| Voltage Rating      | 35 kV                                   |

## Certificates and Declarations (Document Number)

|                                   |                 |
|-----------------------------------|-----------------|
| Data Sheet, Technical Information | 35M6-A-45       |
| Declaration of Conformity - CE    | 9AKK107492A9834 |
| Instructions and Manuals          | 35M6-A-45       |

## Classifications

|                                    |                                                 |
|------------------------------------|-------------------------------------------------|
| ETIM 6                             | EC001051 - Tube cable lug for copper conductors |
| ETIM 7                             | EC001051 - Tube cable lug for copper conductors |
| UNSPSC                             | 39121405                                        |
| WEEE Category                      | Product Not in WEEE Scope                       |
| IDEA Granular Category Code (IGCC) | 4532 >> Cable or wire lug                       |

## Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Compression & Mechanical Connectors

