

## PRODUCT-DETAILS

# 35M8-45

## LUG 45DEG 35MM2 M8 CLASS B 1HL CU



### General Information

|                       |                                                                                                                   |
|-----------------------|-------------------------------------------------------------------------------------------------------------------|
| Extended Product Type | 35M8-45                                                                                                           |
| Product ID            | 7TCA302340R0015                                                                                                   |
| EAN                   | 5415022353235                                                                                                     |
| Catalog Description   | LUG 45DEG 35MM2 M8 CLASS B 1HL CU                                                                                 |
| Long Description      | Metric Lug, Copper, Electro-Tin Plating Finish, Class B, Cable Size 35mm Squared, Bolt Size M8, 45 Degree, 1 Hole |

### Ordering

|     |               |
|-----|---------------|
| EAN | 5415022353235 |
|-----|---------------|

### Dimensions

|                    |       |
|--------------------|-------|
| Product Net Length | 0, mm |
|--------------------|-------|

### Container Information

|                         |                 |
|-------------------------|-----------------|
| Package Level 1 Units   | 100 piece       |
| Package Level 1 Width   | 4 in<br>102 mm  |
| Package Level 1 Height  | 2.9 in<br>74 mm |
| Package Level 1 Depth / | 7.9 in          |

|                                   |                 |
|-----------------------------------|-----------------|
| Length                            | 201 mm          |
| Package Level 2 Units             | 800 piece       |
| Package Level 2 Width             | 8 in<br>203 mm  |
| Package Level 2 Height            | 8 in<br>203 mm  |
| Package Level 2 Depth /<br>Length | 12 in<br>305 mm |

## Additional Information

|                     |                                         |
|---------------------|-----------------------------------------|
| Brand / Label       | Spec-Kon                                |
| Cable Size          | 35 mm <sup>2</sup>                      |
| Color               | Red                                     |
| Effective Date      | 20151030                                |
| Insulation Material | None                                    |
| Material            | Copper                                  |
| Number of Batteries | 0                                       |
| Product Name        | ELECTRICAL TERMINAL                     |
| Product Type        | Metric Standard Barrel - 45 Degree Bend |
| Stud Size           | M8                                      |
| UPC                 | 786210068978                            |
| Voltage Rating      | 35 kV                                   |

## Certificates and Declarations (Document Number)

|                                      |                 |
|--------------------------------------|-----------------|
| Data Sheet, Technical<br>Information | 35M8-45         |
| Declaration of<br>Conformity - CE    | 9AKK107492A9836 |
| Instructions and<br>Manuals          | 35M8-45         |

## Classifications

|                                       |                                                 |
|---------------------------------------|-------------------------------------------------|
| ETIM 6                                | EC001051 - Tube cable lug for copper conductors |
| ETIM 7                                | EC001051 - Tube cable lug for copper conductors |
| UNSPSC                                | 39121405                                        |
| WEEE Category                         | Product Not in WEEE Scope                       |
| IDEA Granular Category<br>Code (IGCC) | 4532 >> Cable or wire lug                       |

## Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Compression & Mechanical Connectors

