

SECTION 3x 32A SANS COMM

Model		
product brand name	SENTRON	
product designation	Switch disconnecter	
design of the product	Basic versions without handle	
design of the load switch strip form	No	
type of the driving mechanism motor drive	No	
General technical data		
number of poles	3	
type of device	fixed mounting	
mechanical service life (operating cycles) typical	12 000	
operating voltage at DC rated value	440 V	
Protection class		
protection class IP	IP00	
Suitability		
suitability for use		
• EMERGENCY OFF switch	Yes	
• safety switch	Yes	
Connections		
type of electrical connection	Busbar connection	
• for main current circuit	flat connector	
Mechanical Design		
height	113 mm	
width	142 mm	
depth	73 mm	
fastening method	floor mounting	
net weight	0.9 kg	
Environmental conditions		
ambient temperature during operation		
• minimum	-20 °C	
• maximum	45 °C	
ambient temperature during storage minimum	-25 °C	
Approvals Certificates		
General Product Approval	EMV	other



[Confirmation](#)



[Miscellaneous](#)

other

Environment

[Confirmation](#)

[Environmental Con-
firmations](#)

Further information

Siemens has decided to exit the Russian market (see here).

<https://press.siemens.com/global/en/pressrelease/siemens-wind-down-russian-business>

Siemens is working on the renewal of the current EAC certificates.

Please contact your local Siemens office on the status of validity of the EAC certification if you intend to import or offer to supply these products to an EAC relevant market (other than the sanctioned EAEU member states Russia or Belarus).

Information on the packaging

<https://support.industry.siemens.com/cs/ww/en/view/109813875>

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3KA7111-3AA00>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/3KA7111-3AA00>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)


http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3KA7111-3AA00

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>



last modified:

4/1/2021 

