

SEALABLE CAP FOR 3RF29 FUNCTION MODULES
EXCEPT CONVERTERS



General technical data:

product brand name		SIRIUS
product designation		sealable cover
Product function		for function modules 3RF29
Ambient temperature		
• during storage	°C	-55 ... +80
Installation altitude / at a height over sea level / maximum	m	1,000
Resistance against vibration / according to IEC 60068-2-6		2g
Resistance against shock / according to IEC 60068-2-27		15g / 11 ms

Main circuit:

Derating temperature	°C	40
Operating frequency		
• rated value	Hz	50 ... 60
Relative symmetrical tolerance / of the operation frequency	%	10

Control circuit:

Relative symmetrical tolerance / of the supply voltage frequency	%	10
--	---	----

Auxiliary circuit:

Number of change-over switches / for auxiliary contacts		0
---	--	---

Installation/mounting/dimensions:

Type of mounting	clip-on
Type of fixing/fixation / series installation	Yes

Connections:

Design of the thread / of the connection screw / of the auxiliary and control pins	M3
Type of the connectable conductor cross-section • for auxiliary and control contacts • solid • finely stranded • with conductor end processing • without conductor final cutting • for AWG conductors / for auxiliary and control contacts	1x (0.5 ... 2.5 mm ²), 2x (0.5 ... 1.0 mm ²) 1x (0.5 ... 2.5 mm ²), 2x (0.5 ... 1.0 mm ²) 1x (0.5 ... 2.5 mm ²), 2x (0.5 ... 1.0 mm ²) 1x (AWG 20 ... 12)

Certificates/approvals:

General Product
Approval

EMC

other



[Environmental
Confirmations](#)

Further information:

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/industrial-controls/catalogs>

Industry Mall (Online ordering system)

<http://www.siemens.com/industrial-controls/mall>

CAX-Online-Generator


<http://www.siemens.com/cax>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<http://support.automation.siemens.com/WW/view/en/3RF2900-0RA88/all>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3RF2900-0RA88



last change:

Feb 18, 2013