



TERMINAL COVER FOR 3RF21/3RF23 RING CABLE
TERMINAL

General technical data:

product brand name		SIRIUS
product designation		terminal cover
Product function		solid-state relay / solid-state contactor 3RF2
Ambient temperature		
• during storage	°C	-55 ... +80
Resistance against vibration / according to IEC 60068-2-6		2g
Resistance against shock / according to IEC 60068-2-27		15g / 11 ms

Auxiliary circuit:

Number of change-over switches / for auxiliary contacts		0
---	--	---

Installation/mounting/dimensions:

Type of mounting		clip-on
Type of fixing/fixation / series installation		Yes
Width	mm	22.5
Height	mm	36.5
Depth	mm	37.5

Certificates/approvals:

General Product Approval	EMC	other
--------------------------	-----	-------



[Environmental Confirmations](#)

Further information:

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/industrial-controls/catalogs>

Industry Mall (Online ordering system)

<http://www.siemens.com/industrial-controls/mall>

CAX-Online-Generator



<http://www.siemens.com/cax>


Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<http://support.automation.siemens.com/WW/view/en/3RF2900-3PA88/all>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3RF2900-3PA88





last change:

Feb 18, 2013