

Touch protection for power bus for ET 200SP motor starter Bag containing 10 units



product category	Accessories
product designation	Infeed bus cover
design of the product	For ET 200SP
product type designation	Infeed bus cover

General technical data

product function	Zubehör
degree of pollution	2
protection class IP	IP20
shock resistance	6g / 11 ms
vibration resistance	15 mm to 6 Hz; 2g to 500 Hz

Installation/ mounting/ dimensions

mounting position	vertical, horizontal, flat
fastening method	pluggable on BaseUnit
height	47 mm
width	8 mm
depth	21 mm

Certificates/ approvals

General Product Approval			EMC	Declaration of Conformity	
 CSA	 UL		 RCM	 EG-Konf.	Miscellaneous

Test Certificates	Marine / Shipping				other
Type Test Certificates/Test Report	 ABS	 BUREAU VERITAS	 LRS	 DNVGL.COM/AF	Confirmation

Further information

Information- and Downloadcenter (Catalogs, Brochures,...)

<https://www.siemens.com/ic10>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3RK1908-1DA00-2BP0>

Cax online generator



<http://support.automation.siemens.com/WW/CAXorder/default.aspx?lang=en&mlfb=3RK1908-1DA00-2BP0>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/3RK1908-1DA00-2BP0>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, EPLAN macros, ...)

http://www.automation.siemens.com/bilddb/cax_de.aspx?mlfb=3RK1908-1DA00-2BP0&lang=en



last modified:

10/26/2020