SIEMENS

Product data sheet 3RS1100-2CD20



TEMPERATURE MONITORING RELAY THERMOCOUPLE TYP J,
EXCEEDING 1 THRESH. VAL.,
WIDTH 22ND5 MM 0 C - 200 C,
24V AC/DC 1 NO + 1 NC,
CLOSED-CIRC.PRINC. CAGE-CLAMP - CONNECTION

General technical details:			
type of voltage		AC/DC	
Supply voltage frequency			
 1 / for auxiliary and control current circuit 			
• initial rated value	Hz	50	
• final rated value	Hz	60	
• 1 / at 50 Hz / for AC / rated value	V	24	
• 1 / at 60 Hz / for AC / rated value	V	24	
• 1 / for DC / rated value	V	24	
Product function			
defect storage		No	
• reset external		No	
Number of measuring circuits		1	
Number of NC contacts / for auxiliary contacts		1	
Number of NO contacts / for auxiliary contacts		1	
Number of change-over switches / for auxiliary contacts		0	
Measurable temperature			
• initial value	°C	0	
• final value	°C	200	
Item designation / according to DIN EN 61346-2		К	

Item designation / according to DIN 40719 extendable after IEC 204-2 / according to IEC 750		К
Ambient temperature		
during operating	°C	-25 +60

Mechanical design:			
Design of the electrical connection			
• for auxiliary and control current circuit		spring-loaded terminals	
• jumper socket		Yes	
Design of the sensor / connectable		type J (thermocouple)	
Width	mm	22.5	
Height	mm	103	
Depth	mm	91	

Certificates/approvals:

General Product Approval

Test Certificates

other







Special Test Certificate

Declaration of Conformity

Environmental Confirmations

Further information:

Information- and Downloadcenter (Catalogs, Brochures,...)

http://www.siemens.com/industrial-controls/catalogs

Industry Mall (Online ordering system)

http://www.siemens.com/industrial-controls/mall

Cax online generator:


http://www.siemens.com/cax


Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

http://support.automation.siemens.com/WW/view/en/3RS1100-2CD20/all

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

 $\underline{\text{http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3RS1100-2CD20}$





last change: Jan 25, 2013