



CAPACITOR SW. CONTACTOR, AC-6,
25KVAR/400V,
AC 200V 50/60HZ/ AC 220V 60HZ, 3-POLE,
SIZE S0

General details:		
Number of poles		3
Mounting type		screw and snap-on mounting onto 35 mm standard mounting rail according to DIN EN 50022
• series installation		Yes
Operating reactive power / at AC-6b		
• at 230 V / at 50/60 Hz / rated value		
• minimum	kvar	3.5
• minimum	kvar	15
• at 400 V / at 50/60 Hz / rated value		
• minimum	kvar	6
• maximum	kvar	25
• at 500 V / at 50/60 Hz / rated value		
• minimum	kvar	7.8
• maximum	kvar	30
• at 690 V / at 50/60 Hz / rated value		
• minimum	kvar	10
• maximum	kvar	42
Reference code / according to DIN EN 61346-2		Q
Reference code / according to DIN 40719 extended according to IEC 204-2 / according to IEC 750		K

Protection class IP		IP20
Width	mm	45
Height	mm	100
Depth	mm	135
Ambient temperature • during operating	°C	-25 ... +60

Control circuit:

Type of voltage		AC
Control supply voltage • at 50 Hz / at AC / rated value / minimum • at 50 Hz / at AC / rated value / maximum • at 60 Hz / at AC / rated value / minimum • at 60 Hz / at AC / rated value / maximum	V V V V	200 200 200 220
Supply voltage frequency / for auxiliary and control current circuit / rated value • minimum • maximum	Hz Hz	50 60

Main circuit:

Number of NC contacts / for main contacts		0
Number of NO contacts / for main contacts		3
Operating current / at AC-1 / at 400 V / rated value	A	35

Auxiliary circuit:

Identification number and letter for switching elements		1
Number of NO contacts / for auxiliary contacts		1
Number of NC contacts / for auxiliary contacts		0

Connection type:

Design of the electrical connection / for main current circuit		screw-type terminals
Design of the electrical connection / for auxiliary and control current circuit		screw-type terminals

Certificates/approvals:

General Product Approval



CCC



CSA



UL

Functional Safety / Safety of Machinery

[Type Examination](#)

Declaration of Conformity



EG-Konf.

Test Certificates

[Special Test
Certificate](#)

Shipping Approval



ABS



GL



RMRS

other

[Confirmation](#)

[other](#)

[Environmental
Confirmations](#)

Further information:

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/industrial-controls/catalogs>

Industry Mall (Online ordering system)

<http://www.siemens.com/industrial-controls/mall>

CAX-Online-Generator


<http://www.siemens.com/cax>


Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<http://support.automation.siemens.com/WW/view/en/3RT1627-1AN61/all>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3RT1627-1AN61





last change:

Jul 7, 2014