

SEALABLE COVER F. CONT. RELAYS A. MOTOR  
 CONT. 3RH2 / 3RT2 PROTECTION AGAINST  
 UNINTENTIONAL MANUAL OPERATION MULTI-UNIT  
 PACKAGING, 5 UNITS



General technical data:

product brand name		SIRIUS
Product designation		sealable cover
Ambient temperature		
• during storage	°C	-50 ... +80
• during operation	°C	-25 ... +60
Protection against electrical shock		finger-safe with cover

Certificates/ approvals:

Certificate of suitability		CE
----------------------------	--	----

General Product Approval	Shipping Approval
--------------------------	-------------------



Shipping Approval	other
-------------------	-------



[Umweltbestätigung](#)

[Bestätigungen](#)

### Further information

**Information- and Downloadcenter (Catalogs, Brochures,...)**

<http://www.siemens.com/industrial-controls/catalogs>

**Industry Mall (Online ordering system)**

<http://www.siemens.com/industrymall>

**Cax online generator**


<http://support.automation.siemens.com/WW/CAXorder/default.aspx?lang=en&mlfb=3RT29164MA10>

**Service&Support (Manuals, Certificates, Characteristics, FAQs,...)**

<https://support.industry.siemens.com/cs/ww/en/ps/3RT29164MA10>

**Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, EPLAN macros, ...)**

[http://www.automation.siemens.com/bilddb/cax\\_de.aspx?mlfb=3RT29164MA10&lang=en](http://www.automation.siemens.com/bilddb/cax_de.aspx?mlfb=3RT29164MA10&lang=en)



last modified:

31.03.2016