
SIEMENS

Product data sheet 3RT2926-1MR00



SURGE SUPPRESSOR, DIODE COMBINATION WITH LED, DC 24 V, FOR MOTOR CONTACTORS SZ S0,

General technical data:			
product brand name		SIRIUS	
product designation		surge suppressor	
Size of the contactor		SO	
Design of the surge suppressor		with diode assemblies	
Ambient temperature			
during storage	°C	-40 + 80	
during operating	°C	-25 +60	

Control circuit:			
Type of voltage / of the controlled supply voltage		DC	
Control supply voltage / 1			
• for DC			
• rated value	V	24	

Installation/mounting/dimensions:			
mounting position		any	
Type of mounting		clip-on	
Width	mm	30	
Height	mm	19	
Depth	mm	12	

Certificates/approvals:

Verification of suitability

CE/UL/CSA/CCC

General Product Approval

Declaration of Conformity

Test Certificates









Special Test Certificate

Shipping Approval













Shipping Approval

other





Confirmation



Further information:

Information- and Downloadcenter (Catalogs, Brochures,...)

http://www.siemens.com/industrial-controls/catalogs

Industry Mall (Online ordering system)

http://www.siemens.com/industrial-controls/mall

CAx-Online-Generator


http://www.siemens.com/cax


Service&Support (Manuals, Certificates, Characteristics, FAQs,...)


http://support.automation.siemens.com/WW/view/en/3RT2926-1MR00/all

 $Image\ database\ (product\ images,\ 2D\ dimension\ drawings,\ 3D\ models,\ device\ circuit\ diagrams,\ ...)$

http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3RT2926-1MR00







last change: Jan 21, 2013