




3-PHASE BUSBAR INCLUDING EXTENSION CONNECTOR,
FOR 2 CIRCUIT-BREAKERS, SIZE S00 UND S0

General technical data:

product brand name		SIRIUS
Product designation		3-phase busbars...em extensi
Size of the circuit-breaker		S00, S0
Design of the product		for 2 switches
Acceptability for application		circuit-breakers 3RV2

Installation/mounting/dimensions:

mounting position		any
Mounting type		snap-on fastening on 35 mm standard rail
Width	mm	91.4
Height	mm	129
Depth	mm	58.5
Distance, to be maintained, conductive elements		
• upwards	mm	10
• backwards	mm	0
• sideways	mm	0
Distance, to be maintained, to earthed part		
• upwards	mm	10
• backwards	mm	0
• sideways	mm	0

Distance, to be maintained, to the ranks assembly

- upwards
- backwards
- sideways

mm	10
mm	0
mm	0

Certificates/approvals:**Verification of suitability**

CE / UL / CSA / CCC

General Product Approval**Test Certificates**

CSA



UL

[Special Test Certificate](#)[Type Test Certificates/Test Report](#)**Shipping Approval**

ABS

BUREAU
VERITAS

DNV



GL



LRS



PRS

Shipping Approval**other**

RINA






RMRS

[Confirmation](#)

VDE

[other](#)[Environmental Confirmations](#)**Further information:****Information- and Downloadcenter (Catalogs, Brochures,...)**<http://www.siemens.com/industrial-controls/catalogs>**Industry Mall (Online ordering system)**<http://www.siemens.com/industrial-controls/mall>**CAX-Online-Generator**<http://www.siemens.com/cax>**Service&Support (Manuals, Certificates, Characteristics, FAQs,...)**<http://support.automation.siemens.com/WW/view/en/3RV2917-4A/all>**Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)**http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3RV2917-4A



last change:

Apr 21, 2014