SIEMENS

product brand name

Data sheet 3RW5217-1AC04

SIRIUS



SIRIUS soft starter 200-480 V 38 A, 24 V AC/DC Screw terminals Analog output

product areas	
product category	Hybrid switching devices
product designation	Soft starter
product type designation	3RW52
manufacturer's article number	
 of standard HMI module usable 	3RW5980-0HS00
 of high feature HMI module usable 	3RW5980-0HF00
 of communication module PROFINET standard usable 	3RW5980-0CS00
 of communication module PROFIBUS usable 	3RW5980-0CP00
 of communication module Modbus TCP usable 	3RW5980-0CT00
 of communication module Modbus RTU usable 	3RW5980-0CR00
 of communication module Ethernet/IP 	3RW5980-0CE00
 of circuit breaker usable at 400 V 	3RV2032-4WA10; Type of coordination 1, Iq = 65 kA, CLASS 10
 of circuit breaker usable at 500 V 	3RV2032-4WA10; Type of coordination 1, Iq = 10 kA, CLASS 10
 of circuit breaker usable at 400 V at inside-delta circuit 	3RV2032-4RA10: Type of coordination 1. lq = 65 kA, CLASS 10
 of circuit breaker usable at 500 V at inside-delta circuit 	3RV2032-4RA10; Type of coordination 1, Iq = 10 kA, CLASS 10
 of the gG fuse usable up to 690 V 	3NA3824-6; Type of coordination 1, Iq = 65 kA
 of the gG fuse usable at inside-delta circuit up to 500 V 	3NA3824-6; Type of coordination 1, Iq = 65 kA
 of full range R fuse link for semiconductor protection usable up to 690 V 	3NE1820-0: Type of coordination 2. lq = 65 kA
 of back-up R fuse link for semiconductor protection usable up to 690 V 	3NE8024-1; Type of coordination 2, Iq = 65 kA
General technical data	
starting voltage [%]	30 100 %
stopping voltage [%]	50 50 %
start-up ramp time of soft starter	0 20 s
current limiting value [%] adjustable	130 700 %
certificate of suitability	
CE marking	Yes
UL approval	Yes
 CSA approval 	Yes
product component	
HMI-High Feature	No
 is supported HMI-Standard 	Yes
 is supported HMI-High Feature 	Yes
product feature integrated bypass contact system	Yes
	-

number of controlled phases

3

trip class	CLASS 10A (default) / 10E / 20E; acc. to IEC 60947-4-2
buffering time in the event of power failure	
for main current circuit	100 ms
for control circuit	100 ms
insulation voltage rated value	600 V
degree of pollution	3, acc. to IEC 60947-4-2
impulse voltage rated value	6 kV
blocking voltage of the thyristor maximum	1 600 V
service factor	1
surge voltage resistance rated value	6 kV
maximum permissible voltage for safe isolation	
 between main and auxiliary circuit 	600 V
shock resistance	15 g / 11 ms, from 12 g / 11 ms with potential contact lifting
vibration resistance	15 mm to 6 Hz; 2g to 500 Hz
utilization category acc. to IEC 60947-4-2	AC 53a
reference code acc. to IEC 81346-2	Q
Substance Prohibitance (Date)	15.02.2018
product function	
• ramp-up (soft starting)	Yes
• ramp-down (soft stop)	Yes
Soft Torque	Yes
adjustable current limitation	Yes
• pump ramp down	Yes
intrinsic device protection	Yes
motor overload protection	Yes; Electronic motor overload protection
evaluation of thermistor motor protection	No
• inside-delta circuit	Yes
auto-RESET	Yes
manual RESET	Yes
• remote reset	Yes; By turning off the control supply voltage
communication function	Yes
operating measured value display	Yes; Only in conjunction with special accessories
error logbook	Yes; Only in conjunction with special accessories
via software parameterizable	No
via software parameterizable via software configurable	Yes
PROFlenergy	Yes; in connection with the PROFINET Standard communication
• PROFIEIIEI Gy	module
• firmware update	Yes
removable terminal for control circuit	Yes
• torque control	No
analog output	Yes; 4 20 mA (default) / 0 10 V (parameterizable with High Feature HMI)
Power Electronics	
operational current	
at 40 °C rated value	38 A
at 50 °C rated value	34 A
at 60 °C rated value	31 A
operational current at inside-delta circuit	
at 40 °C rated value	65.8 A
at 50 °C rated value	58 A
at 60 °C rated value at 60 °C rated value	52.8 A
operating voltage	02.07.
• rated value	200 480 V
at inside-delta circuit rated value	200 480 V
relative negative tolerance of the operating voltage	-15 %
	10 %
relative positive tolerance of the operating voltage	
relative negative tolerance of the operating voltage at inside-delta circuit	-15 %
relative positive tolerance of the operating voltage at inside-delta circuit	10 %
operating power for 3-phase motors	

e at 230 V at leside-delta circuit at 40°C rated value	-t 000 V -t 40 °Ct-d	44 144
e at 400 V at 40°C rated value at 400 V at most evente location at 40°C rated value Operating frequency 1 rated value Operating frequency 2 rated value Committee to committee the operating frequency relative positive tolerance of the operating frequency relative positive tolerance of the operating frequency adjustable motor current • at rotary coding switch on switch position 1 • at rotary coding switch on switch position 2 • at rotary coding switch on switch position 4 • at rotary coding switch on switch position 5 • at rotary coding switch on switch position 6 • at rotary coding switch on switch position 6 • at rotary coding switch on switch position 7 • at rotary coding switch on switch position 8 • at rotary coding switch on switch position 9 • at rotary coding switch on switch position 9 • at rotary coding switch on switch position 10 • at rotary coding switch on switch position 10 • at rotary coding switch on switch position 10 • at rotary coding switch on switch position 11 • at rotary coding switch on switch position 13 • at rotary coding switch on switch position 13 • at rotary coding switch on switch position 13 • at rotary coding switch on switch position 13 • at rotary coding switch on switch position 13 • at rotary coding switch on switch position 15 • at rotary coding switch on switch position 16 • at rotary coding switch on switch position 16 • at rotary coding switch on switch position 16 • at rotary coding switch on switch position 16 • at rotary coding switch on switch position 16 • at rotary coding switch on switch position 16 • at rotary coding switch on switch position 16 • at rotary coding switch on switch position 16 • at rotary coding switch on switch position 16 • at rotary coding switch on switch position 16 • at rotary coding switch on switch position 16 • at rotary coding switch on switch position 16 • at rotary coding switch on switch position 16 • at rotary coding switch on switch position 19 • at rotary coding switch on switch position 19 • at rotary coding switch 10 • at rotary	• at 230 V at 40 °C rated value	11 kW
and 400 V all miside-detals circuit at 40 °C rated value Operating frequency 1 rated value Operating frequency 2 rated value relative negative tolerance of the operating frequency adjustable motor current a trolary coding switch on switch position 1 a trolary coding switch on switch position 3 a trolary coding switch on switch position 5 at rolary coding switch on switch position 6 at rolary coding switch on switch position 7 at rolary coding switch on switch position 7 at rolary coding switch on switch position 8 at rolary coding switch on switch position 8 at rolary coding switch on switch position 8 at rolary coding switch on switch position 10 at rolary coding switch on switch position 12 at rolary coding switch on switch position 14 at rolary coding switch on switch position 15 at rolary coding switch on switch position 16 at rolary coding switch 16 at rolary		
Operating frequency 1 rated value Operating frequency 2 rated value Operating frequency 2 rated value Operating frequency 2 rated value Obtained by the control of the operating frequency 2 relative negative tolerance of the operating frequency 3 relative positive tolerance of the operating frequency 3 rate of colors of the operating frequency 3 rate of colors of the operating frequency 3 rate of colors of the operating frequency 4 of the operating frequency 4 of colors of colors of the operating frequency 4 of colors of colors of the operating frequency 4 of colors of colors of the operating frequency 4 of colors of colors of the operating frequency 4 of colors of col		
Operating frequency 2 rated value relative negative tolerance of the operating frequency relative positive tolerance of the operating frequency adjustable motor current • at rotary coding switch on switch position 1 • at rotary coding switch on switch position 3 • at rotary coding switch on switch position 3 • at rotary coding switch on switch position 5 • at rotary coding switch on switch position 5 • at rotary coding switch on switch position 6 • at rotary coding switch on switch position 6 • at rotary coding switch on switch position 7 • at rotary coding switch on switch position 8 • at rotary coding switch on switch position 7 • at rotary coding switch on switch position 10 • at rotary coding switch on switch position 10 • at rotary coding switch on switch position 10 • at rotary coding switch on switch position 11 • at rotary coding switch on switch position 12 • at rotary coding switch on switch position 13 • at rotary coding switch on switch position 13 • at rotary coding switch on switch position 15 • at rotary coding switch on switch position 15 • at rotary coding switch on switch position 16 • at rotary coding switch on switch position 16 • at rotary coding switch on switch position 16 • at rotary coding switch on switch position 16 • at rotary coding switch on switch position 16 • at rotary coding switch on switch position 16 • at rotary coding switch on switch position 16 • at rotary coding switch on switch position 16 • at rotary coding switch on switch position 16 • at rotary coding switch on switch position 16 • at rotary coding switch on switch position 16 • at rotary coding switch on switch position 16 • at rotary coding switch on switch position 16 • at rotary coding switch on switch position 16 • at rotary coding switch on switch position 16 • at rotary coding switch on switch position 16 • at rotary coding switch on switch position 16 • at rotary coding switch on switch position 16 • at rotary coding switch on switch position 17 • at rotary coding switch 10 • at rotary coding switch 10 • at		
relative positive tolerance of the operating frequency relative positive tolerance of the operating frequency adjustable motor current • at rotary coding switch on switch position 1 • at rotary coding switch on switch position 2 • at rotary coding switch on switch position 3 • at rotary coding switch on switch position 6 • at rotary coding switch on switch position 7 • at rotary coding switch on switch position 7 • at rotary coding switch on switch position 7 • at rotary coding switch on switch position 7 • at rotary coding switch on switch position 10 • at rotary coding switch on switch position 11 • at rotary coding switch on switch position 12 • at rotary coding switch on switch position 13 • at rotary coding switch on switch position 14 • at rotary coding switch on switch position 14 • at rotary coding switch on switch position 14 • at rotary coding switch on switch position 15 • at rotary coding switch on switch position 16 • at rotary coding switch on switch position 16 • at rotary coding switch on switch position 16 • for inside-detal circuit at rotary coding switch on switch position 16 • for inside-detal circuit at rotary coding switch on switch position 10 • for inside-detal circuit at rotary coding switch on switch position 10 • for inside-detal circuit at rotary coding switch on switch position 10 • for inside-detal circuit at rotary coding switch on switch position 10 • for inside-detal circuit at rotary coding switch on switch position 10 • for inside-detal circuit at rotary coding switch on switch position 10 • for inside-detal circuit at rotary coding switch on switch position 10 • for inside-detal circuit at rotary coding switch on switch position 10 • for inside-detal circuit at rotary coding switch on switch position 10 • for inside-detal circuit at rotary coding switch on switch position 10 • for inside-detal circuit at rotary coding switch on switch position 10 • for inside-detal circuit at rotary coding switch on switch position 10 • for inside-detal circuit at rotary coding switch on swi		
adjustable motor current if totary coding switch on switch position 1 if totary coding switch on switch position 2 if totary coding switch on switch position 3 if totary coding switch on switch position 3 if totary coding switch on switch position 4 if totary coding switch on switch position 5 if totary coding switch on switch position 6 if totary coding switch on switch position 7 if totary coding switch on switch position 7 if totary coding switch on switch position 8 if totary coding switch on switch position 10 if totary coding switch on switch position 12 if totary coding switch on switch position 14 if totary coding switch on switch position 14 if totary coding switch on switch position 14 if totary coding switch on switch position 15 if totary coding switch on switch position 16 if totary coding switch on switch position 18 if totary coding switch 18 if totary coding swi	,	
adjustable motor current • at rotary coding switch on switch position 1 • at rotary coding switch on switch position 2 • at rotary coding switch on switch position 3 • at rotary coding switch on switch position 4 • at rotary coding switch on switch position 5 • at rotary coding switch on switch position 7 • at rotary coding switch on switch position 7 • at rotary coding switch on switch position 7 • at rotary coding switch on switch position 7 • at rotary coding switch on switch position 9 • at rotary coding switch on switch position 10 • at rotary coding switch on switch position 11 • at rotary coding switch on switch position 11 • at rotary coding switch on switch position 11 • at rotary coding switch on switch position 13 • at rotary coding switch on switch position 13 • at rotary coding switch on switch position 14 • at rotary coding switch on switch position 13 • at rotary coding switch on switch position 14 • at rotary coding switch on switch position 15 • at rotary coding switch on switch position 16 • at rotary coding switch on switch position 16 • at rotary coding switch on switch position 16 • at rotary coding switch on switch position 16 • at rotary coding switch on switch position 16 • at rotary coding switch on switch position 16 • at rotary coding switch on switch position 10 • at rotary coding switch on switch position 10 • at rotary coding switch on switch position 10 • at rotary coding switch on switch position 10 • at rotary coding switch on switch position 10 • at rotary coding switch on switch position 10 • for inside-detate circuit at rotary coding switch on switch position 10 • for inside-detate circuit at rotary coding switch on switch position 10 • for inside-detate circuit at rotary coding switch on switch position 10 • for inside-detate circuit at rotary coding switch on switch position 10 • for inside-detate circuit at rotary coding switch on switch position 10 • for inside-detate circuit at rotary coding switch on switch position 10 • for inside-detate circuit at rotary coding switc		
at rotary coding switch on switch position 2 at rotary coding switch on switch position 3 at rotary coding switch on switch position 5 at rotary coding switch on switch position 6 at rotary coding switch on switch position 6 at rotary coding switch on switch position 6 at rotary coding switch on switch position 7 at rotary coding switch on switch position 7 at rotary coding switch on switch position 7 at rotary coding switch on switch position 10 at rotary coding switch on switch position 12 at rotary coding switch on switch position 12 at rotary coding switch on switch position 13 at rotary coding switch on switch position 13 at rotary coding switch on switch position 13 at rotary coding switch on switch position 14 at rotary coding switch on switch position 15 at rotary coding switch on switch position 16 at rotary coding switch on switch position 16 at rotary coding switch on switch position 10 of inside-deta circuit at rotary coding switch on switch position 2 of inside-detale accult at rotary coding switch on switch position 3 of inside-detale accult at rotary coding switch on switch position 3 of inside-detale accult at rotary coding switch on switch position 6 of inside-detale accult at rotary coding switch on switch position 6 of inside-detale accult at rotary coding switch on switch position 6 of inside-detale accult at rotary coding switch on switch position 6 of inside-detale accult at rotary coding switch on switch position 5 of inside-detale accult at rotary coding switch on switch position 6 of inside-detale accult at rotary coding switch on switch position 1 of on inside-detale accult at rotary coding switch on switch position 1 of inside-detale accult at rotary coding switch on switch position 1 of inside-detale accult at rotary coding switch on switch position 15 of inside-detale accult at rotary coding switch on switch position 15 of inside-detale accult at		10 76
al rotary coding switch on switch position 2 at rotary coding switch on switch position 3 at rotary coding switch on switch position 4 at rotary coding switch on switch position 6 at rotary coding switch on switch position 6 at rotary coding switch on switch position 7 at rotary coding switch on switch position 7 at rotary coding switch on switch position 8 at rotary coding switch on switch position 9 at rotary coding switch on switch position 10 at rotary coding switch on switch position 11 at rotary coding switch on switch position 11 at rotary coding switch on switch position 12 at rotary coding switch on switch position 13 at rotary coding switch on switch position 14 at rotary coding switch on switch position 15 at rotary coding switch on switch position 15 at rotary coding switch on switch position 16 at rotary coding switch on switch position 16 at rotary coding switch on switch position 17 for inside-delta circuit at rotary coding switch on switch position 1 for inside-delta circuit at rotary coding switch on switch position 2 for inside-delta circuit at rotary coding switch on switch position 3 for inside-delta circuit at rotary coding switch on switch position 4 for inside-delta circuit at rotary coding switch on switch position 4 for inside-delta circuit at rotary coding switch on switch position 4 for inside-delta circuit at rotary coding switch on switch position 5 for inside-delta circuit at rotary coding switch on switch position 1 for inside-delta circuit at rotary coding switch on switch position 1 for inside-delta circuit at rotary coding switch on switch position 1 for inside-delta circuit at rotary coding switch on switch position 1 for inside-delta circuit at rotary coding switch on switch position 1 for inside-delta circuit at rotary coding switch on switch position 1 for inside-delta circuit at rotary coding switch on switch position 1 for inside-delta circuit at rotary coding switch on switch position 1 for inside-delta circuit at rotary coding switch on switch position 16 for inside-de	•	15 5 A
at rotary coding switch on switch position 3 at rotary coding switch on switch position 5 at rotary coding switch on switch position 6 at rotary coding switch on switch position 7 at rotary coding switch on switch position 7 at rotary coding switch on switch position 8 at rotary coding switch on switch position 10 at rotary coding switch on switch position 10 at rotary coding switch on switch position 11 at rotary coding switch on switch position 12 at rotary coding switch on switch position 12 at rotary coding switch on switch position 13 at rotary coding switch on switch position 13 at rotary coding switch on switch position 14 at rotary coding switch on switch position 15 at rotary coding switch on switch position 16 at rotary coding switch on switch position 16 at rotary coding switch on switch position 16 at rotary coding switch on switch position 10 of inside-delta circuit at rotary coding switch on switch position 2 of inside-delta circuit at rotary coding switch on switch position 3 of inside-delta circuit at rotary coding switch on switch position 4 of inside-delta circuit at rotary coding switch on switch position 5 of inside-delta circuit at rotary coding switch on switch position 4 of inside-delta circuit at rotary coding switch on switch position 4 of inside-delta circuit at rotary coding switch on switch position 5 of inside-delta circuit at rotary coding switch on switch position 6 of inside-delta circuit at rotary coding switch on switch position 6 of inside-delta circuit at rotary coding switch on switch position 7 of inside-delta circuit at rotary coding switch on switch position 13 of inside-delta circuit at rotary coding switch on switch position 15 of inside-delta circuit at rotary coding switch on switch position 15 of inside-delta circuit at rotary coding switch on switch position 15 of inside-delta circuit at rotary coding switch on switch position 15 of inside-delta circuit at rotary coding switch on switch position 15 of inside-delta circuit at rotary coding switch on switch position		
at rotary coding switch on switch position 5 at rotary coding switch on switch position 6 at rotary coding switch on switch position 7 at rotary coding switch on switch position 8 at rotary coding switch on switch position 8 at rotary coding switch on switch position 9 at rotary coding switch on switch position 10 at rotary coding switch on switch position 11 at rotary coding switch on switch position 12 at rotary coding switch on switch position 12 at rotary coding switch on switch position 14 at rotary coding switch on switch position 16 at rotary coding switch on switch position 17 at rotary coding switch on switch position 18 at rotary coding switch on switch position 19 at rotary coding switch on switch position 14 at rotary coding switch on switch position 14 at rotary coding switch on switch position 15 at rotary coding switch on		
e at rotary coding switch on switch position 5 at rotary coding switch on switch position 7 at rotary coding switch on switch position 7 at rotary coding switch on switch position 9 at rotary coding switch on switch position 10 at rotary coding switch on switch position 10 at rotary coding switch on switch position 11 at rotary coding switch on switch position 12 at rotary coding switch on switch position 13 at rotary coding switch on switch position 14 at rotary coding switch on switch position 14 at rotary coding switch on switch position 14 at rotary coding switch on switch position 15 at rotary coding switch on switch position 15 at rotary coding switch on switch position 16 at rotary coding switch on switch position 17 at rotary coding switch on switch position 19 at rotary coding switch on switch position 2 at rotary coding switch on switch position 2 at rotary coding switch on switch position 3 adjustable motor current at rotary coding switch on switch position 2 at rotary coding switch on switch position 3 at rotary coding switch on switch position 3 at rotary coding switch on switch position 4 at rotary coding switch on switch position 4 at rotary coding switch on switch position 6 at rinside-delta circuit at rotary coding switch on switch position 9 at rotary coding switch on switch position 9 at rotary coding switch on switch position 10 at rotary coding switch on switch position 10 at rotary coding switch on switch position 12 at rotary coding switch on switch position 13 at rotary coding switch on switch position 14 at rotary coding switch on swit	, ,	
at rotary coding switch on switch position 6 at rotary coding switch on switch position 7 at rotary coding switch on switch position 8 at rotary coding switch on switch position 9 at rotary coding switch on switch position 10 at rotary coding switch on switch position 11 at rotary coding switch on switch position 11 at rotary coding switch on switch position 12 at rotary coding switch on switch position 13 at rotary coding switch on switch position 14 at rotary coding switch on switch position 15 at rotary coding switch on switch position 16 minimum inside-delta circuit at rotary coding switch on switch position 1 for inside-delta circuit at rotary coding switch on switch position 3 for inside-delta circuit at rotary coding switch on switch position 3 for inside-delta circuit at rotary coding switch on switch position 3 for inside-delta circuit at rotary coding switch on switch position 4 for inside-delta circuit at rotary coding switch on switch position 5 for inside-delta circuit at rotary coding switch on switch position 6 for inside-delta circuit at rotary coding switch on switch position 6 for inside-delta circuit at rotary coding switch on switch position 6 for inside-delta circuit at rotary coding switch on switch position 1 for inside-delta circuit at rotary coding switch on switch position 1 for inside-delta circuit at rotary coding switch on switch position 1 for inside-delta circuit at rotary coding switch on switch position 1 for inside-delta circuit at rotary coding switch on switch position 1 for inside-delta circuit at rotary coding switch on switch position 13 for inside-delta circuit at rotary coding switch on switch position 15 for inside-delta circuit at rotary coding switch on switch position 15 for inside-delta circuit at rotary coding switch on switch position 15 for inside-delta circuit at rotary coding switch on switch position 15 for inside-delta cir		
at rotary coding switch on switch position 7 at rotary coding switch on switch position 9 at rotary coding switch on switch position 9 at rotary coding switch on switch position 10 at rotary coding switch on switch position 11 at rotary coding switch on switch position 12 at rotary coding switch on switch position 12 at rotary coding switch on switch position 13 at rotary coding switch on switch position 14 at rotary coding switch on switch position 15 at rotary coding switch on switch position 15 at rotary coding switch on switch position 15 at rotary coding switch on switch position 16 at minimum 5.5 A adjustable motor current 6 for inside-delta circuit at rotary coding switch on switch position 1 6 for inside-delta circuit at rotary coding switch on switch position 2 6 for inside-delta circuit at rotary coding switch on switch position 4 6 for inside-delta circuit at rotary coding switch on switch position 5 7 for inside-delta circuit at rotary coding switch on switch position 7 8 for inside-delta circuit at rotary coding switch on switch position 9 8 for inside-delta circuit at rotary coding switch on switch position 9 9 for inside-delta circuit at rotary coding switch on switch position 9 10 for inside-delta circuit at rotary coding switch on switch position 9 11 for inside-delta circuit at rotary coding switch on switch position 10 12 for inside-delta circuit at rotary coding switch on switch position 10 13 for inside-delta circuit at rotary coding switch on switch position 13 14 for inside-delta circuit at rotary coding switch on switch position 13 15 for inside-delta circuit at rotary coding switch on switch position 13 16 for inside-delta circuit at rotary coding switch on switch position 14 17 for inside-delta circuit at rotary coding switch on switch position 15 18 for inside-delta circuit at rotary coding switch on switch position 16 19 for inside-delta circuit at rotary coding switch on switch position 16 10 for inside-delta circuit at rotary coding switch on switch position 1		
at rotary coding switch on switch position 8 at rotary coding switch on switch position 10 at rotary coding switch on switch position 11 at rotary coding switch on switch position 12 at rotary coding switch on switch position 12 at rotary coding switch on switch position 13 at rotary coding switch on switch position 13 at rotary coding switch on switch position 14 at rotary coding switch on switch position 14 at rotary coding switch on switch position 15 at rotary coding switch on switch position 15 at rotary coding switch on switch position 16 for inside-dettal circuit at rotary coding switch on switch position 1 for inside-dettal circuit at rotary coding switch on switch position 2 for inside-dettal circuit at rotary coding switch on switch position 4 for inside-dettal circuit at rotary coding switch on switch position 5 for inside-dettal circuit at rotary coding switch on switch position 5 for inside-dettal circuit at rotary coding switch on switch position 6 for inside-dettal circuit at rotary coding switch on switch position 6 for inside-dettal circuit at rotary coding switch on switch position 12 for inside-dettal circuit at rotary coding switch on switch position 12 for inside-dettal circuit at rotary coding switch on switch position 12 for inside-dettal circuit at rotary coding switch on switch position 12 for inside-dettal circuit at rotary coding switch on switch position 12 for inside-dettal circuit at rotary coding switch on switch position 12 for inside-dettal circuit at rotary coding switch on switch position 12 for inside-dettal circuit at rotary coding switch on switch position 12 for inside-dettal circuit at rotary coding switch on switch position 12 for inside-dettal circuit at rotary coding switch on switch position 15 for inside-dettal circuit at rotary coding switch on switch position 15 for inside-dettal cir		
at rotary coding switch on switch position 9 at rotary coding switch on switch position 10 at rotary coding switch on switch position 11 at rotary coding switch on switch position 12 at rotary coding switch on switch position 13 at rotary coding switch on switch position 13 at rotary coding switch on switch position 14 at rotary coding switch on switch position 15 at rotary coding switch on switch position 15 at rotary coding switch on switch position 16 at rotary coding switch on switch position 1 for inside-deltal circuit at rotary coding switch on switch position 2 for inside-deltal circuit at rotary coding switch on switch position 5 for inside-deltal circuit at rotary coding switch on switch position 5 for inside-deltal circuit at rotary coding switch on switch position 6 for inside-deltal circuit at rotary coding switch on switch position 7 for inside-deltal circuit at rotary coding switch on switch position 7 for inside-deltal circuit at rotary coding switch on switch position 7 for inside-deltal circuit at rotary coding switch on switch position 7 for inside-deltal circuit at rotary coding switch on switch position 10 for inside-deltal circuit at rotary coding switch on switch position 10 for inside-deltal circuit at rotary coding switch on switch position 10 for inside-deltal circuit at rotary coding switch on switch position 13 for inside-deltal circuit at rotary coding switch on switch position 13 for inside-deltal circuit at rotary coding switch on switch position 13 for inside-deltal circuit at rotary coding switch on switch position 13 for inside-deltal circuit at rotary coding switch on switch position 13 for inside-deltal circuit at rotary coding switch on switch position 15 for inside-deltal circuit at rotary coding switch on switch position 15 for inside-deltal circuit at rotary coding switch on switch position		
at rotary coding switch on switch position 10 at rotary coding switch on switch position 11 30.5 A at rotary coding switch on switch position 12 at rotary coding switch on switch position 13 at rotary coding switch on switch position 14 at rotary coding switch on switch position 14 at rotary coding switch on switch position 15 at rotary coding switch on switch position 16 at rotary coding switch on switch position 10 for inside-detal circuit at rotary coding switch on switch position 2 for inside-detal circuit at rotary coding switch on switch position 2 for inside-detal circuit at rotary coding switch on switch position 3 for inside-detal circuit at rotary coding switch on switch position 3 for inside-detal circuit at rotary coding switch on switch position 5 for inside-detal circuit at rotary coding switch on switch position 5 for inside-detal circuit at rotary coding switch on switch position 6 for inside-detal circuit at rotary coding switch on switch position 9 for inside-detal circuit at rotary coding switch on switch position 9 for inside-detal circuit at rotary coding switch on switch position 10 for inside-detal circuit at rotary coding switch on switch position 10 for inside-detal circuit at rotary coding switch on switch position 10 for inside-detal circuit at rotary coding switch on switch position 11 for inside-detal circuit at rotary coding switch on switch position 14 for inside-detal circuit at rotary coding switch on switch position 14 for inside-detal circuit at rotary coding switch on switch position 14 for inside-detal circuit at rotary coding switch on switch position 14 for inside-detal circuit at rotary coding switch on switch position 14 for inside-detal circuit at rotary coding switch on switch position 14 for inside-detal circuit at rotary coding switch on switch position 14 for inside-detal circuit at r		
at rotary coding switch on switch position 12 at rotary coding switch on switch position 13 at rotary coding switch on switch position 13 at rotary coding switch on switch position 14 at rotary coding switch on switch position 15 at rotary coding switch on switch position 15 at rotary coding switch on switch position 16 at rotary coding switch on switch position 16 minimum adjustable motor current for inside-delta circuit at rotary coding switch on switch position 1 for inside-delta circuit at rotary coding switch on switch position 2 for inside-delta circuit at rotary coding switch on switch position 2 for inside-delta circuit at rotary coding switch on switch position 3 for inside-delta circuit at rotary coding switch on switch position 4 for inside-delta circuit at rotary coding switch on switch position 5 for inside-delta circuit at rotary coding switch on switch position 6 for inside-delta circuit at rotary coding switch on switch position 7 for inside-delta circuit at rotary coding switch on switch position 8 for inside-delta circuit at rotary coding switch on switch position 8 for inside-delta circuit at rotary coding switch on switch position 9 for inside-delta circuit at rotary coding switch on switch position 10 for inside-delta circuit at rotary coding switch on switch position 10 for inside-delta circuit at rotary coding switch on switch position 10 for inside-delta circuit at rotary coding switch on switch position 10 for inside-delta circuit at rotary coding switch on switch position 14 for inside-delta circuit at rotary coding switch on switch position 14 for inside-delta circuit at rotary coding switch on switch position 14 for inside-delta circuit at rotary coding switch on switch position 14 for inside-delta circuit at rotary coding switch on switch position 15 for inside-delta circuit at rotary coding switch on switch position 15 for inside-delta circuit at rotary coding switch on switch position 15 for inside-delta circuit at rotary coding switch on switch position 16 for inside-delta circ	, ,	
at rotary coding switch on switch position 12 at rotary coding switch on switch position 13 at rotary coding switch on switch position 15 at rotary coding switch on switch position 15 at rotary coding switch on switch position 16 at rotary coding switch on switch position 16 at rotary coding switch on switch position 16 at minimum 15.5 A adjustable motor current for inside-deta circuit at rotary coding switch on switch position 1 for inside-deta circuit at rotary coding switch on switch position 2 for inside-deta circuit at rotary coding switch on switch position 3 for inside-deta circuit at rotary coding switch on switch position 4 for inside-deta circuit at rotary coding switch on switch position 5 for inside-deta circuit at rotary coding switch on switch position 6 for inside-deta circuit at rotary coding switch on switch position 6 for inside-deta circuit at rotary coding switch on switch position 6 for inside-deta circuit at rotary coding switch on switch position 6 for inside-deta circuit at rotary coding switch on switch position 7 for inside-deta circuit at rotary coding switch on switch position 8 for inside-deta circuit at rotary coding switch on switch position 10 for inside-deta circuit at rotary coding switch on switch position 10 for inside-deta circuit at rotary coding switch on switch position 10 for inside-deta circuit at rotary coding switch on switch position 10 for inside-deta circuit at rotary coding switch on switch position 10 for inside-deta circuit at rotary coding switch on switch position 12 for inside-deta circuit at rotary coding switch on switch position 14 for inside-deta circuit at rotary coding switch on switch position 15 for inside-deta circuit at rotary coding switch on switch position 15 for inside-deta circuit at rotary coding switch on switch position 16 at inside-deta circuit at rotary coding switch on switch position 16 at inside-deta circuit at rotary coding switch on switch position 16 at inside-deta circuit at rotary coding switch on switch		
at rotary coding switch on switch position 13 at rotary coding switch on switch position 14 at rotary coding switch on switch position 15 at rotary coding switch on switch position 16 adjustable motor current for inside-delta circuit at rotary coding switch on switch position 1 for inside-delta circuit at rotary coding switch on switch position 2 for inside-delta circuit at rotary coding switch on switch position 3 for inside-delta circuit at rotary coding switch on switch position 4 for inside-delta circuit at rotary coding switch on switch position 5 for inside-delta circuit at rotary coding switch on switch position 6 for inside-delta circuit at rotary coding switch on switch position 6 for inside-delta circuit at rotary coding switch on switch position 7 for inside-delta circuit at rotary coding switch on switch position 8 for inside-delta circuit at rotary coding switch on switch position 9 for inside-delta circuit at rotary coding switch on switch position 10 for inside-delta circuit at rotary coding switch on switch position 10 for inside-delta circuit at rotary coding switch on switch position 10 for inside-delta circuit at rotary coding switch on switch position 10 for inside-delta circuit at rotary coding switch on switch position 10 for inside-delta circuit at rotary coding switch on switch position 12 for inside-delta circuit at rotary coding switch on switch position 13 for inside-delta circuit at rotary coding switch on switch position 13 for inside-delta circuit at rotary coding switch on switch position 15 for inside-delta circuit at rotary coding switch on switch position 15 for inside-delta circuit at rotary coding switch on switch position 15 for inside-delta circuit at rotary coding switch on switch position 15 for inside-delta circuit at rotary coding switch on switch position 16 for inside-delta circuit at rotary coding switch on switch position 15 for		
at rotary coding switch on switch position 14 at rotary coding switch on switch position 15 at rotary coding switch on switch position 15 at rotary coding switch on switch position 16 an iminimum 15.5 A adjustable motor current for inside-delta circuit at rotary coding switch on switch position 1 for inside-delta circuit at rotary coding switch on switch position 3 for inside-delta circuit at rotary coding switch on switch position 3 for inside-delta circuit at rotary coding switch on switch position 3 for inside-delta circuit at rotary coding switch on switch position 4 for inside-delta circuit at rotary coding switch on switch position 4 for inside-delta circuit at rotary coding switch on switch position 5 for inside-delta circuit at rotary coding switch on switch position 6 for inside-delta circuit at rotary coding switch on switch position 7 for inside-delta circuit at rotary coding switch on switch position 8 for inside-delta circuit at rotary coding switch on switch position 8 for inside-delta circuit at rotary coding switch on switch position 10 for inside-delta circuit at rotary coding switch on switch position 10 for inside-delta circuit at rotary coding switch on switch position 11 for inside-delta circuit at rotary coding switch on switch position 12 for inside-delta circuit at rotary coding switch on switch position 12 for inside-delta circuit at rotary coding switch on switch position 13 for inside-delta circuit at rotary coding switch on switch position 13 for inside-delta circuit at rotary coding switch on switch position 14 for inside-delta circuit at rotary coding switch on switch position 15 for inside-delta circuit at rotary coding switch on switch position 15 for inside-delta circuit at rotary coding switch on switch position 16 for inside-delta circuit at rotary coding switch on switch position 16 for inside-delta circuit at rotary coding switch on switch position 16 for inside-delta circuit at rotary coding switch on switch position 16 for inside-delta circuit at rotary coding switch on	,	
at rotary coding switch on switch position 15 at rotary coding switch on switch position 16 a minimum adjustable motor current for inside-delta circuit at rotary coding switch on switch position 2 for inside-delta circuit at rotary coding switch on switch position 3 for inside-delta circuit at rotary coding switch on switch position 3 for inside-delta circuit at rotary coding switch on switch position 3 for inside-delta circuit at rotary coding switch on switch position 4 for inside-delta circuit at rotary coding switch on switch position 5 for inside-delta circuit at rotary coding switch on switch position 6 for inside-delta circuit at rotary coding switch on switch position 7 for inside-delta circuit at rotary coding switch on switch position 8 for inside-delta circuit at rotary coding switch on switch position 9 for inside-delta circuit at rotary coding switch on switch position 9 for inside-delta circuit at rotary coding switch on switch position 10 for inside-delta circuit at rotary coding switch on switch position 12 for inside-delta circuit at rotary coding switch on switch position 12 for inside-delta circuit at rotary coding switch on switch position 13 for inside-delta circuit at rotary coding switch on switch position 13 for inside-delta circuit at rotary coding switch on switch position 13 for inside-delta circuit at rotary coding switch on switch position 14 for inside-delta circuit at rotary coding switch on switch position 15 for inside-delta circuit at rotary coding switch on switch position 15 for inside-delta circuit at rotary coding switch on switch position 16 at inside-delta circuit at rotary coding switch on switch position 16 at inside-delta circuit at rotary coding switch on switch position 16 at inside-delta circuit at rotary coding switch on switch position 16 at inside-delta circuit at rotary coding switch on switch position 16 at inside-delta circuit at rotary coding switch on switch position 16 at inside-delta circuit at rotary coding switch on switch po		
 at rotary coding switch on switch position 16 minimum adjustable motor current for inside-delta circuit at rotary coding switch on switch position 1 for inside-delta circuit at rotary coding switch on switch position 2 for inside-delta circuit at rotary coding switch on switch position 3 for inside-delta circuit at rotary coding switch on switch position 4 for inside-delta circuit at rotary coding switch on switch position 5 for inside-delta circuit at rotary coding switch on switch position 5 for inside-delta circuit at rotary coding switch on switch position 6 for inside-delta circuit at rotary coding switch on switch position 7 for inside-delta circuit at rotary coding switch on switch position 8 for inside-delta circuit at rotary coding switch on switch position 9 for inside-delta circuit at rotary coding switch on switch position 10 for inside-delta circuit at rotary coding switch on switch position 11 for inside-delta circuit at rotary coding switch on switch position 12 for inside-delta circuit at rotary coding switch on switch position 13 for inside-delta circuit at rotary coding switch on switch position 14 for inside-delta circuit at rotary coding switch on switch position 14 for inside-delta circuit at rotary coding switch on switch position 14 for inside-delta circuit at rotary coding switch on switch position 14 for inside-delta circuit at rotary coding switch on switch position 15 for inside-delta circuit at rotary coding switch on switch position 16 at inside-delta circuit at rotary coding switch on switch position 16 at inside-delta circuit minimum 26.8 A minimum load [%] for inside-delta circuit minimum 26.8 A 		36.5 A
adjustable motor current • for inside-delta circuit at rotary coding switch on switch position 1 • for inside-delta circuit at rotary coding switch on switch position 2 • for inside-delta circuit at rotary coding switch on switch position 3 • for inside-delta circuit at rotary coding switch on switch position 3 • for inside-delta circuit at rotary coding switch on switch position 4 • for inside-delta circuit at rotary coding switch on switch position 5 • for inside-delta circuit at rotary coding switch on switch position 5 • for inside-delta circuit at rotary coding switch on switch position 7 • for inside-delta circuit at rotary coding switch on switch position 8 • for inside-delta circuit at rotary coding switch on switch position 8 • for inside-delta circuit at rotary coding switch on switch position 9 • for inside-delta circuit at rotary coding switch on switch position 9 • for inside-delta circuit at rotary coding switch on switch position 10 • for inside-delta circuit at rotary coding switch on switch position 11 • for inside-delta circuit at rotary coding switch on switch position 12 • for inside-delta circuit at rotary coding switch on switch position 13 • for inside-delta circuit at rotary coding switch on switch position 13 • for inside-delta circuit at rotary coding switch on switch position 13 • for inside-delta circuit at rotary coding switch on switch position 15 • for inside-delta circuit at rotary coding switch on switch position 15 • for inside-delta circuit at rotary coding switch on switch position 16 • at inside-delta circuit at rotary coding switch on switch position 16 • at inside-delta circuit at rotary coding switch on switch position 16 • at inside-delta circuit minimum 26.8 A minimum load [%]		38 A
• for inside-delta circuit at rotary coding switch on switch position 1 • for inside-delta circuit at rotary coding switch on switch position 2 • for inside-delta circuit at rotary coding switch on switch position 3 • for inside-delta circuit at rotary coding switch on switch position 4 • for inside-delta circuit at rotary coding switch on switch position 5 • for inside-delta circuit at rotary coding switch on switch position 5 • for inside-delta circuit at rotary coding switch on switch position 6 • for inside-delta circuit at rotary coding switch on switch position 7 • for inside-delta circuit at rotary coding switch on switch position 8 • for inside-delta circuit at rotary coding switch on switch position 8 • for inside-delta circuit at rotary coding switch on switch position 8 • for inside-delta circuit at rotary coding switch on switch position 10 • for inside-delta circuit at rotary coding switch on switch position 11 • for inside-delta circuit at rotary coding switch on switch position 12 • for inside-delta circuit at rotary coding switch on switch position 12 • for inside-delta circuit at rotary coding switch on switch position 14 • for inside-delta circuit at rotary coding switch on switch position 15 • for inside-delta circuit at rotary coding switch on switch position 15 • for inside-delta circuit at rotary coding switch on switch position 15 • for inside-delta circuit at rotary coding switch on switch position 15 • for inside-delta circuit at rotary coding switch on switch position 15 • for inside-delta circuit at rotary coding switch on switch position 16 • at inside-delta circuit at rotary coding switch on switch position 16 • at inside-delta circuit minimum 26.8 A minimum load [%]	• minimum	15.5 A
switch position 1 • for inside-delta circuit at rotary coding switch on switch position 2 • for inside-delta circuit at rotary coding switch on switch position 3 • for inside-delta circuit at rotary coding switch on switch position 4 • for inside-delta circuit at rotary coding switch on switch position 5 • for inside-delta circuit at rotary coding switch on switch position 6 • for inside-delta circuit at rotary coding switch on switch position 7 • for inside-delta circuit at rotary coding switch on switch position 7 • for inside-delta circuit at rotary coding switch on switch position 8 • for inside-delta circuit at rotary coding switch on switch position 9 • for inside-delta circuit at rotary coding switch on switch position 10 • for inside-delta circuit at rotary coding switch on switch position 11 • for inside-delta circuit at rotary coding switch on switch position 13 • for inside-delta circuit at rotary coding switch on switch position 13 • for inside-delta circuit at rotary coding switch on switch position 14 • for inside-delta circuit at rotary coding switch on switch position 15 • for inside-delta circuit at rotary coding switch on switch position 15 • for inside-delta circuit at rotary coding switch on switch position 15 • for inside-delta circuit at rotary coding switch on switch position 15 • for inside-delta circuit at rotary coding switch on switch position 16 • at inside-delta circuit at rotary coding switch on switch position 16 • at inside-delta circuit minimum 26.8 A minimum load [%]	adjustable motor current	
• for inside-delta circuit at rotary coding switch on switch position 3 • for inside-delta circuit at rotary coding switch on switch position 4 • for inside-delta circuit at rotary coding switch on switch position 5 • for inside-delta circuit at rotary coding switch on switch position 6 • for inside-delta circuit at rotary coding switch on switch position 7 • for inside-delta circuit at rotary coding switch on switch position 7 • for inside-delta circuit at rotary coding switch on switch position 9 • for inside-delta circuit at rotary coding switch on switch position 9 • for inside-delta circuit at rotary coding switch on switch position 10 • for inside-delta circuit at rotary coding switch on switch position 11 • for inside-delta circuit at rotary coding switch on switch position 12 • for inside-delta circuit at rotary coding switch on switch position 13 • for inside-delta circuit at rotary coding switch on switch position 13 • for inside-delta circuit at rotary coding switch on switch position 14 • for inside-delta circuit at rotary coding switch on switch position 15 • for inside-delta circuit at rotary coding switch on switch position 15 • for inside-delta circuit at rotary coding switch on switch position 15 • for inside-delta circuit at rotary coding switch on switch position 15 • for inside-delta circuit at rotary coding switch on switch position 16 • at inside-delta circuit minimum 26.8 A minimum load [%]		26.8 A
• for inside-delta circuit at rotary coding switch on switch position 4 • for inside-delta circuit at rotary coding switch on switch position 5 • for inside-delta circuit at rotary coding switch on switch position 6 • for inside-delta circuit at rotary coding switch on switch position 7 • for inside-delta circuit at rotary coding switch on switch position 8 • for inside-delta circuit at rotary coding switch on switch position 8 • for inside-delta circuit at rotary coding switch on switch position 9 • for inside-delta circuit at rotary coding switch on switch position 10 • for inside-delta circuit at rotary coding switch on switch position 11 • for inside-delta circuit at rotary coding switch on switch position 12 • for inside-delta circuit at rotary coding switch on switch position 13 • for inside-delta circuit at rotary coding switch on switch position 13 • for inside-delta circuit at rotary coding switch on switch position 13 • for inside-delta circuit at rotary coding switch on switch position 14 • for inside-delta circuit at rotary coding switch on switch position 15 • for inside-delta circuit at rotary coding switch on switch position 15 • for inside-delta circuit at rotary coding switch on switch position 15 • for inside-delta circuit at rotary coding switch on switch position 15 • for inside-delta circuit at rotary coding switch on switch position 16 • at inside-delta circuit minimum 26.8 A minimum load [%]		29.4 A
 switch position 4 for inside-delta circuit at rotary coding switch on switch position 5 for inside-delta circuit at rotary coding switch on switch position 6 for inside-delta circuit at rotary coding switch on switch position 7 for inside-delta circuit at rotary coding switch on switch position 8 for inside-delta circuit at rotary coding switch on switch position 9 for inside-delta circuit at rotary coding switch on switch position 10 for inside-delta circuit at rotary coding switch on switch position 11 for inside-delta circuit at rotary coding switch on switch position 12 for inside-delta circuit at rotary coding switch on switch position 13 for inside-delta circuit at rotary coding switch on switch position 13 for inside-delta circuit at rotary coding switch on switch position 14 for inside-delta circuit at rotary coding switch on switch position 15 for inside-delta circuit at rotary coding switch on switch position 15 for inside-delta circuit at rotary coding switch on switch position 16 at inside-delta circuit at rotary coding switch on switch position 16 at inside-delta circuit minimum 26.8 A minimum load [%] 37.2 A 39.8 A 47.6 A 39.8 A 47.6 A 39.8 A 47		32 A
switch position 5 • for inside-delta circuit at rotary coding switch on switch position 6 • for inside-delta circuit at rotary coding switch on switch position 7 • for inside-delta circuit at rotary coding switch on switch position 8 • for inside-delta circuit at rotary coding switch on switch position 9 • for inside-delta circuit at rotary coding switch on switch position 10 • for inside-delta circuit at rotary coding switch on switch position 11 • for inside-delta circuit at rotary coding switch on switch position 12 • for inside-delta circuit at rotary coding switch on switch position 12 • for inside-delta circuit at rotary coding switch on switch position 13 • for inside-delta circuit at rotary coding switch on switch position 14 • for inside-delta circuit at rotary coding switch on switch position 14 • for inside-delta circuit at rotary coding switch on switch position 15 • for inside-delta circuit at rotary coding switch on switch position 16 • at inside-delta circuit minimum 26.8 A minimum load [%]	, ,	34.6 A
switch position 6 • for inside-delta circuit at rotary coding switch on switch position 7 • for inside-delta circuit at rotary coding switch on switch position 8 • for inside-delta circuit at rotary coding switch on switch position 9 • for inside-delta circuit at rotary coding switch on switch position 10 • for inside-delta circuit at rotary coding switch on switch position 11 • for inside-delta circuit at rotary coding switch on switch position 12 • for inside-delta circuit at rotary coding switch on switch position 13 • for inside-delta circuit at rotary coding switch on switch position 13 • for inside-delta circuit at rotary coding switch on switch position 14 • for inside-delta circuit at rotary coding switch on switch position 15 • for inside-delta circuit at rotary coding switch on switch position 16 • at inside-delta circuit minimum minimum load [%] 42.4 A 45.6 45.8 45.8 47.6 47.6 45.8 47.6 45.8 45.8 47.6 45.8 47.6 45.8 45.8 47.6 45.8 45.8 47.6 45.8 47.6 45.8 47.6 45.8 47.6 45.8 47.6 45.8 47.6 45.8 47.6 45.8 47.6 47.6 45.8 47.6 45.8 47.6 45.8 47.6 45.8 47.6 45.8 47.6 47.6 45.8 47.6 45.8 47.6 47.6 45.8 47.6 47.6 45.8 47.6 47.	switch position 5	37.2 A
switch position 7 • for inside-delta circuit at rotary coding switch on switch position 8 • for inside-delta circuit at rotary coding switch on switch position 9 • for inside-delta circuit at rotary coding switch on switch position 10 • for inside-delta circuit at rotary coding switch on switch position 11 • for inside-delta circuit at rotary coding switch on switch position 12 • for inside-delta circuit at rotary coding switch on switch position 13 • for inside-delta circuit at rotary coding switch on switch position 14 • for inside-delta circuit at rotary coding switch on switch position 15 • for inside-delta circuit at rotary coding switch on switch position 15 • for inside-delta circuit at rotary coding switch on switch position 15 • for inside-delta circuit at rotary coding switch on switch position 16 • at inside-delta circuit minimum 26.8 A minimum load [%]	switch position 6	
 switch position 8 for inside-delta circuit at rotary coding switch on switch position 9 for inside-delta circuit at rotary coding switch on switch position 10 for inside-delta circuit at rotary coding switch on switch position 11 for inside-delta circuit at rotary coding switch on switch position 12 for inside-delta circuit at rotary coding switch on switch position 13 for inside-delta circuit at rotary coding switch on switch position 14 for inside-delta circuit at rotary coding switch on switch position 15 for inside-delta circuit at rotary coding switch on switch position 16 at inside-delta circuit minimum 26.8 A 	switch position 7	
switch position 9 • for inside-delta circuit at rotary coding switch on switch position 10 • for inside-delta circuit at rotary coding switch on switch position 11 • for inside-delta circuit at rotary coding switch on switch position 12 • for inside-delta circuit at rotary coding switch on switch position 13 • for inside-delta circuit at rotary coding switch on switch position 14 • for inside-delta circuit at rotary coding switch on switch position 15 • for inside-delta circuit at rotary coding switch on switch position 15 • for inside-delta circuit at rotary coding switch on switch position 16 • at inside-delta circuit minimum 26.8 A minimum load [%]	switch position 8	
switch position 10 • for inside-delta circuit at rotary coding switch on switch position 11 • for inside-delta circuit at rotary coding switch on switch position 12 • for inside-delta circuit at rotary coding switch on switch position 13 • for inside-delta circuit at rotary coding switch on switch position 14 • for inside-delta circuit at rotary coding switch on switch position 14 • for inside-delta circuit at rotary coding switch on switch position 15 • for inside-delta circuit at rotary coding switch on switch position 16 • at inside-delta circuit minimum 26.8 A minimum load [%]	switch position 9	
switch position 11 • for inside-delta circuit at rotary coding switch on switch position 12 • for inside-delta circuit at rotary coding switch on switch position 13 • for inside-delta circuit at rotary coding switch on switch position 14 • for inside-delta circuit at rotary coding switch on switch position 15 • for inside-delta circuit at rotary coding switch on switch position 15 • for inside-delta circuit at rotary coding switch on switch position 16 • at inside-delta circuit minimum 26.8 A minimum load [%]	switch position 10	
switch position 12 • for inside-delta circuit at rotary coding switch on switch position 13 • for inside-delta circuit at rotary coding switch on switch position 14 • for inside-delta circuit at rotary coding switch on switch position 15 • for inside-delta circuit at rotary coding switch on switch position 15 • for inside-delta circuit at rotary coding switch on switch position 16 • at inside-delta circuit minimum 26.8 A minimum load [%] 58 A 60.6 A 63.2 A 65.8 A	switch position 11	
switch position 13 • for inside-delta circuit at rotary coding switch on switch position 14 • for inside-delta circuit at rotary coding switch on switch position 15 • for inside-delta circuit at rotary coding switch on switch position 16 • at inside-delta circuit minimum minimum load [%] 60.6 A 63.2 A 65.8 A 65.8 A 56.8 A	switch position 12	
switch position 14 • for inside-delta circuit at rotary coding switch on switch position 15 • for inside-delta circuit at rotary coding switch on switch position 16 • at inside-delta circuit minimum minimum load [%] 63.2 A 65.8 A 26.8 A minimum load [%]	switch position 13	
switch position 15 • for inside-delta circuit at rotary coding switch on switch position 16 • at inside-delta circuit minimum minimum load [%] 65.8 A 26.8 A 15 %; Relative to smallest settable le	switch position 14	
switch position 16	switch position 15	
minimum load [%] 15 %; Relative to smallest settable le	switch position 16	
	power loss [W] for rated value of the current at AC	10 70, Notative to diffullion detable to
• at 40 °C after startup 23 W		23 W
• at 50 °C after startup 22 W	•	22 W

at 60 °C after startup	21 W
power loss [W] at AC at current limitation 350 %	
 at 40 °C during startup 	628 W
 at 50 °C during startup 	526 W
at 60 °C during startup	464 W
Control circuit/ Control	
type of voltage of the control supply voltage	AC/DC
control supply voltage at AC	
at 50 Hz rated value	24 V
at 60 Hz rated value	24 V
relative negative tolerance of the control supply voltage at AC at 50 Hz	-20 %
relative positive tolerance of the control supply voltage at AC at 50 Hz	20 %
relative negative tolerance of the control supply voltage at AC at 60 Hz	-20 %
relative positive tolerance of the control supply voltage at AC at 60 Hz	20 %
control supply voltage frequency	50 60 Hz
relative negative tolerance of the control supply voltage frequency	-10 %
relative positive tolerance of the control supply voltage frequency	10 %
control supply voltage	
at DC rated value	24 V
relative negative tolerance of the control supply voltage at DC	-20 %
relative positive tolerance of the control supply voltage at DC	20 %
control supply current in standby mode rated value	160 mA
holding current in bypass operation rated value	360 mA
locked-rotor current at close of bypass contact maximum	0.75 A
inrush current peak at application of control supply voltage maximum	3.3 A
duration of inrush current peak at application of control supply voltage	12.1 ms
design of the overvoltage protection	Varistor
design of short-circuit protection for control circuit	4 A gG fuse (Icu=1 kA), 6 A quick-acting fuse (Icu=1 kA), C1 miniature circuit breaker (Icu= 600 A), C6 miniature circuit breaker (Icu= 300 A); Is not part of scope of supply
Inputs/ Outputs	
number of digital inputs	1
number of digital outputs	3
not parameterizable	2
digital output version	2 normally-open contacts (NO) / 1 changeover contact (CO)
number of analog outputs	1
switching capacity current of the relay outputs	
 at AC-15 at 250 V rated value 	3 A
at DC-13 at 24 V rated value	1 A
Installation/ mounting/ dimensions	
mounting position	with vertical mounting surface +/-90° rotatable, with vertical mounting surface +/- 22.5° tiltable to the front and back
fastening method	screw fixing
height	275 mm
width	170 mm
depth	152 mm
required spacing with side-by-side mounting	
• forwards	10 mm
backwards	0 mm
• upwards	100 mm
• downwards	75 mm
at the side	5 mm

weight without packaging	2.3 kg
Connections/ Terminals	
type of electrical connection	
for main current circuit	screw-type terminals
for control circuit	screw-type terminals
type of connectable conductor cross-sections	
 for main contacts 	
— solid	2x (1.0 2.5 mm²), 2x (2.5 10 mm²)
— finely stranded with core end processing	2x (1.0 2.5 mm²), 2x (2.5 6.0 mm²)
at AWG cables for main current circuit solid	2x (16 12), 2x (14 8)
type of connectable conductor cross-sections	4(0.5
for control circuit finely stranded with core and	1x (0.5 4.0 mm²), 2x (0.5 2.5 mm²)
 for control circuit finely stranded with core end processing 	1x (0.5 2.5 mm²), 2x (0.5 1.5 mm²)
at AWG cables for control circuit solid	1x (20 12), 2x (20 14)
wire length	
 between soft starter and motor maximum 	800 m
 at the digital inputs at AC maximum 	100 m
at the digital inputs at DC maximum	1 000 m
tightening torque	
 for main contacts with screw-type terminals 	2 2.5 N·m
 for auxiliary and control contacts with screw-type terminals 	0.8 1.2 N·m
tightening torque [lbf·in]	
for main contacts with screw-type terminals	18 22 lbf·in
for auxiliary and control contacts with screw-type	7 10.3 lbf·in
terminals	
Ambient conditions	
installation altitude at height above sea level maximum	5 000 m; Derating as of 1000 m, see catalog
ambient temperature	
during operation	-25 +60 °C; Please observe derating at temperatures of 40 °C or above
during storage and transport	-40 +80 °C
environmental category	2V6 (no ice fermation, only accessional condensation), 2C2 (no call
during operation acc. to IEC 60721 during storage acc. to IEC 60721	3K6 (no ice formation, only occasional condensation), 3C3 (no salt mist), 3S2 (sand must not get into the devices), 3M6
during storage acc. to IEC 60721	1K6 (only occasional condensation), 1C2 (no salt mist), 1S2 (sand must not get inside the devices), 1M4
during transport acc. to IEC 60721 EMC emitted interference	2K2, 2C1, 2S1, 2M2 (max. fall height 0.3 m) acc. to IEC 60947-4-2: Class A
1 1111 11 11 11	acc. to IEC 00947-4-2. Class A
Communication Protocol	
communication module is supported • PROFINET standard	Yes
EtherNet/IP	Yes
Modbus RTU	Yes
Modbus TCP	Yes
• PROFIBUS	Yes
UL/CSA ratings	
manufacturer's article number	
of circuit breaker	
 usable for Standard Faults at 460/480 V according to UL 	Siemens type: 3RV2742, max. 70 A or 3VA51, max. 125 A; Iq = 5 kA
 usable for High Faults at 460/480 V according to UL 	Siemens type: 3RV2742, max.40 A or 3VA51, max. 60 A; lq max = 65 kA
 usable for Standard Faults at 460/480 V at inside-delta circuit according to UL 	Siemens type: 3RV2742, max. 70 A or 3VA51, max. 125 A; Iq = 5 kA
 usable for High Faults at 460/480 V at inside- delta circuit according to UL 	Siemens type: 3VA51, max. 60 A; lq max = 65 kA
 usable for Standard Faults at 575/600 V according to UL 	Siemens type: 3RV2742, max. 70 A or 3VA51, max. 125 A; Iq = 5 kA
 usable for Standard Faults at 575/600 V at inside-delta circuit according to UL 	Siemens type: 3RV2742, max. 70 A or 3VA51, max. 125 A; Iq = 5 kA

of the fuse

 usable for Standard Faults up to 575/600 V according to UL

- usable for High Faults up to 575/600 V according to UL

- usable for Standard Faults at inside-delta circuit up to 575/600 V according to UL

- usable for High Faults at inside-delta circuit up to 575/600 V according to UL

Type: Class RK5 / K5, max. 150 A; Iq = 5 kA

Type: Class J / L, max. 150 A; Iq = 100 kA

Type: Class RK5 / K5, max. 150 A; Iq = 5 kA

Type: Class J / L, max. 150 A; Iq = 100 kA

operating power [hp] for 3-phase motors

• at 200/208 V at 50 °C rated value

• at 220/230 V at 50 °C rated value 10 hp

• at 460/480 V at 50 °C rated value 20 hp • at 200/208 V at inside-delta circuit at 50 °C rated 15 hp

value • at 220/230 V at inside-delta circuit at 50 °C rated

• at 460/480 V at inside-delta circuit at 50 °C rated value

contact rating of auxiliary contacts according to UL

20 hp

10 hp

40 hp

R300-B300

Safety related data

value

protection class IP on the front acc. to IEC 60529 touch protection on the front acc. to IEC 60529 electromagnetic compatibility

IP20

finger-safe, for vertical contact from the front

in accordance with IEC 60947-4-2

Certificates/ approvals

General Product Approval

EMC

Declaration of Conformity











UK Declaration of **Conformity**

Declaration of Conformity

Test Certificates

Marine / Shipping



Type Test Certificates/Test Report









Marine / Shipping

other



Confirmation

Further information

Information- and Downloadcenter (Catalogs, Brochures,...)

https://www.siemens.com/ic10

Industry Mall (Online ordering system)

https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3RW5217-1AC04

Cax online generator

http://support.automation.siemens.com/WW/CAXorder/default.aspx?lang=en&mlfb=3RW5217-1AC04


Service&Support (Manuals, Certificates, Characteristics, FAQs,...) https://support.industry.siemens.com/cs/ww/en/ps/3RW5217-1AC04


Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, EPLAN macros, ...)


http://www.automation.siemens.com/bilddb/cax_de.aspx?mlfb=3RW5217-1AC04&lang=en

Characteristic: Tripping characteristics, I2t, Let-through current https://support.industry.siemens.com/cs/ww/en/ps/3RW5217-1AC04/char

Characteristic: Installation altitude







last modified: 9/21/2021 **C**