## **SIEMENS**

Product data sheet 3SB2304-2H



LAMPHOLDER W2 X 4.6D, WITH INCANDESCENT LAMP 24V, WITH HOLDER

Mechanical design:			
Product designation	lampholder		
Number of NC contacts / for auxiliary contacts	0		
Number of NO contacts / for auxiliary contacts	0		
Number of changeover contacts / for auxiliary contacts	0		
Number of lampholders	1		
Execution of the mounting	W2 x 4.6d		
Product component / fluorescent materials	Yes		
Nature of fluorescent material	filament lamp		
Color / of the fluorescent material	clear		
Design of the electrical connection	tab terminals		

General technical details:			
Type of voltage / of the supply voltage / of light source		DC	
Supply voltage / 1 / of the fluorescent material			
• for DC / rated value	V	24	
Voltage type / of operating voltage		AC/DC	
Operating voltage			
• at 50 Hz / at AC			
• rated value	V	5 60	
• at 60 Hz / at AC			

• rated value	V	5 60
• for DC		
• rated value	V	5 60
Operating current		
• at AC-15 / at 230 V		
• at 50 Hz / rated value	Α	4
at DC-13 / at 24 V / rated value	Α	3
Resistance against shock / for devices with incandescent lamp / according to IEC 60068-2-27		<= 30g
Resistance against vibration / according to IEC 60068-2-6		20 200 Hz: 5g
Reference code / according to DIN EN 61346-2		P
Reference code / according to DIN 40719 extended according to IEC 204-2 / according to IEC 750		Н
Ambient temperature		
during operating	°C	-25 +60
during storage	°C	-40 +80
Protection class IP / of the terminal		IP00
protection type IP / of the enclosure		IP00
Mounting type		front mounting
Width	mm	19
Height	mm	19
Depth	mm	46

## Certificates/approvals:

**General Product Approval** 

Declaration of Conformity

other











Environmental Confirmations

## **Further information:**

Information- and Downloadcenter (Catalogs, Brochures,...)

http://www.siemens.com/industrial-controls/catalogs

Industry Mall (Online ordering system)

http://www.siemens.com/industrial-controls/mall

Cax online generator:

http://www.siemens.com/cax

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

 $\underline{\text{http://support.automation.siemens.com/WW/view/en/3SB2304-2H/all}}$ 

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

 $\underline{\text{http://www.automation.siemens.com/bilddb/cax\_en.aspx?mlfb=3SB2304-2Harder} = \underline{\text{http://www.automation.siemens.com/bilddb/cax\_en.aspx?mlfb=3SB2304-2Harder} = \underline{\text{http://www.automation.siemens.com/bilddb/cax\_en.aspx.en.$ 

last change: Jul 7, 2014