# **SIEMENS**

Product data sheet 3SB3111-6AA40



26X26MM PLASTIC SQUARE INDICATOR: INDICATOR LIGHT WITH SMOOTH LENSE ILLUMINABLE WITH HOLDER GREEN

Actuato/ signaling device:			
Design of the product	Single device square		
Design of the operating mechanism	indicator light		
Color / of the activation element	Green		
Material / of the activation element	plastic		
Shape / of the activation element	Flat lens		
Number of switching positions	0		
Product component / front ring	No		
Product function / EMERGENCY STOP function	No		
Holder:			
Material / of the holder	Plastic		
General technical details:			
Resistance against shock			
• for devices with incandescent lamp / according to IEC 60068-2-27	<= 30g		
• for devices without incandescent lamp / according to IEC 60068- 2-27	<= 50g		
· · · · · · · · · · · · · · · · · · ·	<= 50g 20 200 Hz: 5g		
2-27	, and the second		

<ul> <li>according to DIN 40719 extended according to IEC 204-2 / according to IEC 750</li> </ul>		н
Tightening torque / of the screws in the bracket / maximum	N⋅m	1
Ambient temperature		
during operating	°C	-25 +70
during storage	°C	-40 +80
Protection class IP		IP66
climatic class / during the operating phase / according to EN 60721		3K6
Mounting type		front mounting
Shape / of the installation hole		square
Installation width	mm	30
Mounting height	mm	7
Mounting depth	mm	29

### Certificates/ approvals:

**General Product Approval** 

Declaration of Conformity

**Test Certificates** 

(F) CSA







Special Test Certificate

#### **Shipping Approval**











#### other

Confirmation

other

Environmental Confirmations

## Further information:

Information- and Downloadcenter (Catalogs, Brochures,...)

http://www.siemens.com/industrial-controls/catalogs

Industry Mall (Online ordering system)

 $\underline{\text{http://www.siemens.com/industrial-controls/mall}}$ 

Cax online generator


http://www.siemens.com/cax

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

http://support.automation.siemens.com/WW/view/en/3SB3111-6AA40/all

 $Image\ database\ (product\ images,\ 2D\ dimension\ drawings,\ 3D\ models,\ device\ circuit\ diagrams,\ ...)$ 

 $\underline{\text{http://www.automation.siemens.com/bilddb/cax\_en.aspx?mlfb=3SB3111-6AA40}$ 



last change: Aug 4, 2014