# **SIEMENS**

Product data sheet 3SB3500-5ED01



22MM METAL ROUND ACTUATOR: BKS KEY-OPER.SWITCH WITH 2 KEYS MOMENTARY CONTACT TYPE 3 SWITCH POSITIONS I-O-II LOCK NO S1, REMOVAL POS. O WITH HOLDER

| Actuator:                                     |    |                        |  |
|---|----|------------------------|--|
| Design of the product                         |    | Single device round    |  |
| Design of the operating mechanism             |    | Key-operated switch    |  |
| External diameter / of the activation element | mm | 28.5                   |  |
| Functionality / of the actuator               |    | Momentary contact type |  |
| Type of unlocking device                      |    | without                |  |
| Color / of the activation element             |    | Silver                 |  |
| Material / of the activation element          |    | metal                  |  |
| Make of the lock                              |    | BCS                    |  |
| Number of switching positions                 |    | 3                      |  |
| Switch position for key distraction           |    | 0                      |  |
| Actuating angle                               |    |                        |  |
| • clockwise                                   | ٥  | 50                     |  |
| anticlockwise                                 | 0  | 50                     |  |
| Product component / front ring                |    | Yes                    |  |
| Material / of the front ring                  |    | metal                  |  |
| Color / of the front ring                     |    | silver                 |  |
| Design of the front ring                      |    | Standard               |  |
| Product function / EMERGENCY STOP function    |    | No                     |  |

| Holder:   |     |                |  |  |
|---|-----|----------------|--|--|
| Material / of the holder  |     | Metal          |  |  |
| General technical data:   |     |                |  |  |
| Resistance against shock  |     |                |  |  |
| • for devices without incandescent lamp / according to IEC 60068-                                     |     | <= 50g         |  |  |
| 2-27  |     | , sag          |  |  |
| Resistance against vibration / according to IEC 60068-2-6   |     | 20 200 Hz: 5g  |  |  |
| Operating cycles / maximum  | 1/h | 1,000          |  |  |
| Mechanical operating cycles as operating time / typical   |     | 300,000        |  |  |
| Product extension / optional / fluorescent materials  |     | No             |  |  |
| Reference code  |     |                |  |  |
| according to DIN EN 61346-2   |     | S              |  |  |
| <ul> <li>according to DIN 40719 extended according to IEC 204-2 /<br/>according to IEC 750</li> </ul> |     | S              |  |  |
| Tightening torque / of the screws in the bracket / maximum  | N⋅m | 1              |  |  |
| Ambient temperature   |     |                |  |  |
| during operating  | °C  | -25 +70        |  |  |
| during storage  | °C  | -40 +80        |  |  |
| Protection class IP   |     | IP67           |  |  |
| climatic class / during the operating phase / according to EN 60721                                   |     | 3K6            |  |  |
| Mounting type   |     | front mounting |  |  |
| Shape / of the installation hole  |     | round          |  |  |
| Installation width  | mm  | 28.5           |  |  |
| Mounting diameter   | mm  | 22             |  |  |
| Mounting height   | mm  | 61             |  |  |
| Mounting depth  | mm  | 29             |  |  |

## Certificates/ approvals:

**General Product Approval** 

Declaration of Conformity **Test Certificates** 









Special Test Certificate

## **Shipping Approval**











other

Confirmation

other

Environmental Confirmations

## Further information:

Information- and Downloadcenter (Catalogs, Brochures,...)

http://www.siemens.com/industrial-controls/catalogs

#### Industry Mall (Online ordering system)

http://www.siemens.com/industrial-controls/mall

#### Cax online generator


http://www.siemens.com/cax

### Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

http://support.automation.siemens.com/WW/view/en/3SB3500-5ED01/all

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

http://www.automation.siemens.com/bilddb/cax\_en.aspx?mlfb=3SB3500-5ED01



last change: Jul 7, 2014