



LED COVER YELLOW FOR POSITION SWITCH PLASTIC
3SE5132,
HOUSING TO EN50041, 2 LEDS,
YELLOW/GREEN, 24 V DC

General technical data:

Product designation		Cover (plastic) for housing EN50041+LED 24 V DC, yellow
Explosion protection category for dust		none
Type of voltage / of the supply voltage • of the optional LED indicator		DC
Degree of pollution		class 3
Resistance against vibration		0.35 mm / 5g
Resistance against shock		30g / 11 ms
Ambient temperature • during operating • during storage	°C	-25 ... +60 -40 ... +90
Width of the sensor	mm	40
Design of the operating mechanism		without
Protection class IP		IP66/IP67
mounting position		any

Certificates/ approvals:

General Product Approval				Declaration of Conformity	other
					Confirmation
CCC	CSA		UL	EG-Konf.	

Further information:

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/industrial-controls/catalogs>

Industry Mall (Online ordering system)

<http://www.siemens.com/industrymall>

Cax online generator



<http://www.siemens.com/cax>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<http://support.automation.siemens.com/WW/view/en/3SE5130-1AA00-1AG0/all>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3SE5130-1AA00-1AG0



last change:

Jul 24, 2014