



STANDARD ACTUATOR FOR ALL RFID SAFETY SWITCHES RECTANGULAR 25MM X 91MM, WITHOUT MAGNETIC LATCHING

### General technical data:

|                              |  |                                  |
|------------------------------|--|----------------------------------|
| <b>Product feature</b>       |  | Actuator without magnet latching |
| <b>Design of the product</b> |  | RFID actuator                    |

### Enclosure:

|                                                     |    |                                                                                                                                          |
|-----------------------------------------------------|----|------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Mounting type</b>                                |    | screw fixing                                                                                                                             |
| <b>Material</b>                                     |    | <ul style="list-style-type: none"> <li>• of the enclosure</li> <li>• of the cable sheath</li> <li>• of the active sensor area</li> </ul> |
| <b>Height of the sensor</b>                         | mm | 22                                                                                                                                       |
| <b>Length of the sensor</b>                         | mm | 91                                                                                                                                       |
| <b>Width of the sensor</b>                          | mm | 25                                                                                                                                       |
| <b>Mechanical installation condition for sensor</b> |    | flush installation possible                                                                                                              |

### Ambient conditions:

|                                                                      |    |             |
|----------------------------------------------------------------------|----|-------------|
| <b>Ambient temperature</b>                                           |    |             |
| <ul style="list-style-type: none"> <li>• during operating</li> </ul> | °C | -25 ... +70 |

### Certificates/ approvals:

|                            |  |                   |
|----------------------------|--|-------------------|
| <b>Protection class IP</b> |  | IP65, IP67, IP69k |
|----------------------------|--|-------------------|

| Verification of suitability                                                       |                                                                                         | cURus                                                                                    |                                                                                               |
|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------|
| General Product Approval                                                          | Functional Safety / Safety of Machinery                                                 | Declaration of Conformity                                                                | other                                                                                         |
|  | <br>UL | <br>VDE | <br>EG-Konf. |
|                                                                                   |                                                                                         |                                                                                          | <a href="#">Declaration of Conformity</a>                                                     |

#### Further information:

##### Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/industrial-controls/catalogs>

##### Industry Mall (Online ordering system)

<http://www.siemens.com/industrymall>

##### Cax online generator



<http://www.siemens.com/cax>

##### Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<http://support.automation.siemens.com/WW/view/en/3SE6310-0BC01/all>

##### Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

[http://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=3SE6310-0BC01](http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3SE6310-0BC01)



last change:

Jul 17, 2014