



ACTUATOR WITH MAGNETIC LATCHING 18N FOR RFID SAFETY SWITCHES RECTANGULAR 25MM X 91MM, WITH MAGNETIC LATCHING

General technical data:

Product feature		Actuator with magnet latching
Design of the product		RFID actuator

Enclosure:

Mounting type		screw fixing
Material • of the enclosure • of the cable sheath • of the active sensor area		plastic PVC plastic
Height of the sensor	mm	22
Length of the sensor	mm	91
Width of the sensor	mm	25
Mechanical installation condition for sensor		flush installation possible

Ambient conditions:

ambient temperature • during operating	°C	-25 ... +70
--	----	-------------

Certificates/ approvals:

Protection class IP		IP65, IP67, IP69k
---------------------	--	-------------------

Verification of suitability		cURus	
General Product Approval	Functional Safety / Safety of Machinery	Declaration of Conformity	other
	 UL	 VDE	 EG-Konf.
			Declaration of Conformity

Further information:

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/industrial-controls/catalogs>

Industry Mall (Online ordering system)

<http://www.siemens.com/industrymall>

Cax online generator



<http://www.siemens.com/cax>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<http://support.automation.siemens.com/WW/view/en/3SE6310-1BC01/all>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3SE6310-1BC01



last change:

Jul 28, 2014